

Shower Enclosures

Shower Enclosures

Shopping guide	528	Brisa	532
Shower Enclosures Quick Guide	530	Victoria Plus ^N	536
Finishes Quick Guide	531	District	546

Shower Enclosures

Simple design details, such as an integrated towel rail or an optional shelf, consider everyday needs

Key Benefits

Resistance. Corrosion resistance verified with 200 hours of testing in a saline mist environment.

Easy cleaning. Door release system to make cleaning between glass panels easier.

Durability. Proven mechanical resistance with 20,000 opening and closing cycles guaranteed.


Maxiclean®. Exclusive treatment that repels water, avoids limescale and the buildup of dirt, making cleaning easier.

Safety. Tempered glass that shatters into small, harmless pieces in the event of breakage, reducing the risk of accidents.

Easy to install. Models with dual installation options and a high-quality adhesive system that simplifies installation, eliminating the need to drill into the wall.

Adaptability. A compensation system allows the shower enclosure to adapt to wall irregularities, with an optional brace support to the ceiling.

With made-to-measure or standard-sized shower enclosures, it's easy to find the right solution for any shower space. Whether the bathroom is spacious or compact, there are options for any type of installation, all available in polished silver and, depending on the collection, in matt silver, white, matt black and brushed matt black. Simple design details, such as an integrated towel rail or an optional shelf, consider everyday needs Roca shower enclosures are designed to resist corrosion and prevent the build-up of limescale.



Shopping Guide

When choosing the right shower screen, various aspects must be taken into account. It is necessary to analyze the available space, determine who will use the shower, and ensure easy access for all users. Each of the following factors plays a decisive role in designing the perfect shower space.

Type of space




Type of shower tray or bathtub



Shower tray

Bath

Access to the shower space




Users



When choosing a shower screen, it is important to consider the ease of access and opening, both in terms of the available space and the needs of those who will use the shower.

Type of opening



Walk-in



Sliding door



Quick Guide / Shower Enclosures

	Brisa	Victoria Plus ^N	District
Walk-in		 DF  B1H  B1HF	 DF
Sliding door	 L2-E  L2-E + LF-C	 L2-E  L4-E  L2-E + LF-C  L4-E + LF-C  2L2  MR	



Clear Glass



Matt Glass



Polished Silver



Matt Black



Brushed Matt Black



Maxiclean® Treatment

	Glass		MaxiClean®		Profile	
Standard	Clear	Matt	MaxiClean® Treatment	Polished Silver	Matt Black	Brushed Matt Black
Brisa	•		standard		•	
Victoria Plus	•		standard	•	•	•*
District	•	•		•	•	

* Only DF model with 8 mm glass.

Iconography

	Height shower screen		Glass thickness
	Shower enclosure with MaxiClean® treatment, which repels water, preventing the buildup of limescale and dirt on the screen		Possible left or right opening
	Optimal sealing that minimizes water dispersion and splash formation		Mechanism that releases the doors from the lower bracket to facilitate cleaning between the glass panels
	Balance between design and functionality, with possible splash occurrence		Doors with soft-close mechanism for smooth opening and closing, preventing unnecessary impacts
	Ideal for open spaces or without profiles, with greater splash exposure		Adjusts and levels the shower screen to fit uneven surfaces, ensuring precise and aligned installation
	System that ensures the stability of the shower screen, preventing it from coming off the rails		It offers greater resistance and safety, increasing durability against impacts and thermal stress
	Provides convenient access to towels within reach, enhancing usability and adding functionality to the shower enclosure		Dual installation, with screws or adhesive
	Glass thickness		

Brisa

This collection of shower enclosures features slim profiles available in a range of configurations and glossy silver or matt black finishes.



Glass finishes



Clear glass

Profile finishes



Matt Black



Key Benefits

Standard shower screens for sliding or hinged doors.

Reversible.

Profile finish in Matt Black.

Glass thickness: 8 mm.

Height: 2000 mm.

Maxiclean treatment included as standard.

Sliding door models:

- No bottom guide profile.
- 50 mm adjustment.
- Soft opening and closing system.
- Door release system.
- Anti-tip system.

Iconography

	Thickness	Glass thickness
	Reversible	Possible left or right opening
	MaxiClean®	Shower enclosure with MaxiClean® treatment, which repels water, preventing the buildup of limescale and dirt on the screen
	Watertightness	Balance between design and functionality, with possible splash occurrence
	Door release	Mechanism that releases the doors from the lower bracket to facilitate cleaning between the glass panels
	Soft-Close	Doors with soft-close mechanism for smooth opening and closing, preventing unnecessary impacts
	Tempered glass	It offers greater resistance and safety, increasing durability against impacts and thermal stress
	Anti-Roll System	System that ensures the stability of the shower screen, preventing it from coming off the rails


Shower Enclosures / Brisa

Brisa L2-E *

Front shower enclosure with 1 sliding door + 1 fixed panel. To install between walls. Height 2000 mm.

	Width (A)	Installation dimensions Min-Max (A)	Opening (B)
AM34312016M	1200	1160 - 1210	485
AM34313016M	1300	1260 - 1310	485
AM34314016M	1400	1360 - 1410	585

Finishes: Clear Glass. Profiles: Matt Black.




Brisa L2-E + LF-C *

Front shower enclosure with 1 sliding door + 1 fixed panel + 1 side panel LF-C.
Height 2000 mm.

	Width (A and B)	Installation dimensions Min-Max (A and B)	Opening (C)
L2-E (A)			
AM34312016M	1200	1170 - 1220	485
AM34313016M	1300	1270 - 1320	485
AM34314016M	1400	1370 - 1420	585
LF-C (B)			
AM37308016M	800	780 - 800	
AM37309016M	900	880 - 900	

Finishes: Clear Glass. Profiles: Matt Black.



Victoria Plus ^N

Featuring an updated design that includes slim profiles, a 2000 mm height, and Maxiclean treatment, this collection includes sliding and walk-in door options.



Glass finishes



Clear glass

Profile finishes



Polished Silver



Matt Black



Brushed Matt Black



Key Benefits

- Standard shower and bathtub screens.
- Models: Walk-in or sliding doors.
- Reversible.
- Profile finish in Bright Silver or Matt Black.
- In the DF model, it is brushed Matt Black.
- Glass thickness: 6 or 8 mm (depending on the model).
- Shower enclosure height: 2000 mm.
- Bath enclosure height: 1500 mm.
- Adjustment per side: 7 to 50 mm (depending on the model).
- Anti-Roll System (sliding doors).
- Optional ceiling support in the Walk-in DF model.

Iconography

	Thickness	Glass thickness
	Reversible	Possible left or right opening
	MaxiClean®	Shower enclosure with MaxiClean® treatment, which repels water, preventing the buildup of limescale and dirt on the screen
	Watertightness	Optimal sealing that minimizes water dispersion and splash formation
	Door release	Mechanism that releases the doors from the lower bracket to facilitate cleaning between the glass panels
	Dual Installation	Dual installation, with screws or adhesive
	Tempered glass	It offers greater resistance and safety, increasing durability against impacts and thermal stress
	Anti-Roll System	System that ensures the stability of the shower screen, preventing it from coming off the rails

Shower Enclosures / Victoria Plus


Victoria Plus DF *

Fixed panel for shower. Compensating profile 7 mm. Height 2000 mm.
MaxiClean treatment included.

	Width (A)	Installation dimensions Min-Max (A)
AM1973207D001.NMN	800	800 - 807
AM1973847D001.NMN	900	900 - 907
AM1973E87D001.NMN	1000	1000 - 1007
AM1974B07D001.NMN	1200	1200 - 1207

Ceiling brace support		
AM99003702	1000	Polished Silver
AM99003706	1000	Matt Black

Finishes: Clear Glass. Profiles: Polished Silver, Brushed Matt Black.




Victoria Plus L2-E ⁽¹⁾

Front shower enclosure with 1 sliding door + 1 fixed panel. To install between walls. Height 2000 mm.

N

	Width (A)	Installation dimensions Min-Max (A)	Opening (B)
AM12B3E87D001.NMN	1000	970 - 1020	395
AM12B44C7D001.NMN	1100	1021 - 1120	395
AM12B4B07D001.NMN	1200	1121 - 1220	445
AM12B5147D001.NMN	1300	1221 - 1320	495
AM12B5787D001.NMN	1400	1321 - 1420	545
AM12B5DC7D001.NMN	1500	1421 - 1520	595
AM12B6407D001.NMN	1600	1521 - 1620	645
AM12B6A47D001.NMN	1700	1621 - 1720	695
AM12B7087D001.NMN	1800	1721 - 1820	745

Finishes: Clear Glass. Profiles: Polished Silver, Matt Black.



Shower Enclosures / Victoria Plus



Victoria Plus L2-E + LF-C

Front shower enclosure with 1 sliding door + 1 fixed panel + 1 fixed side panel
LF-C. Height 2000 mm.

N

	Width (A - B)	Installation dimensions Min-Max (A - B)	Opening (C)
L2-E (A) ¹⁾			
AM12B3E87D001.NMN	1000	970 - 1020	395
AM12B44C7D001.NMN	1100	1021 - 1120	395
AM12B4B07D001.NMN	1200	1121 - 1220	445
AM12B5147D001.NMN	1300	1221 - 1320	495
AM12B5787D001.NMN	1400	1321 - 1420	545
AM12B5DC7D001.NMN	1500	1421 - 1520	595
AM12B6407D001.NMN	1600	1521 - 1620	645
AM12B6A47D001.NMN	1700	1621 - 1720	695
AM12B7087D001.NMN	1800	1721 - 1820	745
LF-C (B) *			
AM12C2BC7D001.NMN	700	685 - 710	
AM12C2EE7D001.NMN	750	735 - 760	
AM12C3207D001.NMN	800	785 - 810	
AM12C3847D001.NMN	900	885 - 910	

Finishes: Clear Glass. Profiles: Polished Silver, Matt Black.




Victoria Plus L4-E *

Front shower enclosure with 2 sliding doors + 2 fixed panels. To install between walls. Height 2000 mm.

N

	Width (A)	Installation dimensions Min-Max (A)	Opening (B)
AM12D6407D001.NMN	1600	1520 - 1620	590
AM12D6A47D001.NMN	1700	1621 - 1720	640
AM12D7087D001.NMN	1800	1721 - 1820	690
AM12D76C7D001.NMN	1900	1821 - 1920	690
AM12D7D07D001.NMN	2000	1921 - 2020	690

Finishes: Clear Glass. Profiles: Polished Silver, Matt Black.



Shower Enclosures / Victoria Plus



Victoria Plus L4-E + LF-C *

Front shower enclosure with 2 sliding doors + 2 fixed panels + 1 fixed side panel LF-C. Height 2000 mm.

N

	Width (A - B)	Installation dimensions Min-Max (A - B)	Opening (C)
L4-E (A)			
AM12D6407D001.NMN	1600	1520-1620	590
AM12D6A47D001.NMN	1700	1621-1720	640
AM12D7087D001.NMN	1800	1721-1820	690
AM12D76C7D001.NMN	1900	1821-1920	690
AM12D7D07D001.NMN	2000	1921-2020	690
LF-C (B)			
AM12C2BC7D001.NMN	700	685 - 710	
AM12C2EE7D001.NMN	750	735 - 760	
AM12C3207D001.NMN	800	785 - 810	
AM12C3847D001.NMN	900	885 - 910	

Finishes: Clear Glass. Profiles: Polished Silver, Matt Black.




Victoria Plus 2L2

N

Corner front shower enclosure with 2 sliding doors + 2 fixed panels. To create a corner entry enclosure 2L2, 2 units of L2 must be ordered. Height 2000 mm.

	Width (A or B)	Installation dimensions Min-Max (A or B)
AM12A2BC7D001.NMN *	700	670 - 720
AM12A2EE7D001.NMN *	750	721 - 770
AM12A3207D001.NMN ⁽¹⁾	800	771 - 820
AM12A3527D001.NMN *	850	821 - 870
AM12A3847D001.NMN ⁽¹⁾	900	871 - 920
AM12A3E87D001.NMN ⁽¹⁾	1000	921 - 1020
AM12A44C7D001.NMN ⁽¹⁾	1100	1021 - 1120
AM12A4B07D001.NMN ⁽¹⁾	1200	1121 - 1220

Finishes: Clear Glass. Profiles: Polished Silver, Matt Black.




Shower Enclosures / Victoria Plus

Victoria Plus MR


Corner front shower enclosure with 2 sliding doors + 2 fixed panels.
Height 2000 mm.

	Width (A)	Installation dimensions Min-Max (A)	Opening (C)
AM12E2EE7D001.NMN *	750 (R375)	715 - 740	407
AM12E3207D001.NMN *	800 (R500)	765 - 790	420
AM12F3207D001.NMN *	800 (R550)	765 - 790	395
AM12E3847D001.NMN *	900 (R500)	865 - 890	525
AM12F3847D001.NMN	900 (R550)	865 - 890	540
AM12E3E87D001.NMN	1000 (R500)	965 - 990	540

Finishes: Clear Glass. Profiles: Polished Silver, Matt Black.



N




Victoria Plus B1H *

B1H - 1 hinged panel with 180° opening. Height 1500 mm

	Width (A)	Installation dimensions Min-Max (A)
AM1993525DC012NMN	850	850 - 860

Finishes: Clear Glass. Profiles: Polished Silver.





Victoria Plus B1HF *

B1HF - 1 hinged panel with 180° opening + 1 fixed panel. Height 1500 mm

	Width (A)	Installation dimensions Min-Max (A)
AM1443E85DC012NMN	1000	985 - 1000

Finishes: Clear Glass. Profiles: Polished Silver.



District

A collection of shower enclosures with an elegant design and clean look. Clear or frosted tempered glass (6 or 8 mm thickness) and polished silver or matt black profile.



Glass finishes



Clear glass

Matt glass

Profile finishes



Polished Silver

Matt Black



Key Benefits

- Walk-in DF shower enclosure.
- Different models.
- Reversible.
- Clear glass or matt glass
- Shiny Silver or Black Matt profile finish.
- Glass thickness 6 or 8 mm (depending on model).
- Shower height 2000 mm.
- Ceiling brace.

Iconography

	Thickness	Glass thickness
	Reversible	Possible left or right opening
	Height	Height shower screen
	Watertightness	Balance between design and functionality, with possible splash occurrence
	Anti-Roll System	System that ensures the stability of the shower screen, preventing it from coming off the rails


Shower Enclosures / District

District

Fixed panel with profile and stabilizing bar on opposite wall.

Height 2000 mm

Thickness (glass) 6 mm





	Width (A)	Finishes Glass	Finishes Profile
AMB0108012	800	Clear glass	Chrome profile
AMB0108016	800	Clear glass	Black profile
AMB01080C2	800	Matt glass	Chrome profile
AMB01080C6	800	Matt glass	Black profile
AMB0109012	900	Clear glass	Chrome profile
AMB0109016	900	Clear glass	Black profile
AMB01090C2	900	Matt glass	Chrome profile
AMB01090C6	900	Matt glass	Black profile
AMB0110012	1000	Clear glass	Chrome profile
AMB0110016	1000	Clear glass	Black profile
AMB01100C2	1000	Matt glass	Chrome profile
AMB01100C6	1000	Matt glass	Black profile

District

Fixed panel with profile and stabilizing bar on opposite wall.

Height 2000 mm

Thickness (glass) 8 mm



	Width (A)	Finishes Glass	Finishes Profile
AMB0208012	800	Clear glass	Chrome profile
AMB0208016	800	Clear glass	Black profile
AMB02080C2	800	Matt glass	Chrome profile
AMB02080C6	800	Matt glass	Black profile
AMB0209012	900	Clear glass	Chrome profile
AMB0209016	900	Clear glass	Black profile
AMB02090C2	900	Matt glass	Chrome profile
AMB02090C6	900	Matt glass	Black profile
AMB0210012	1000	Clear glass	Chrome profile
AMB0210016	1000	Clear glass	Black profile
AMB02100C2	1000	Matt glass	Chrome profile
AMB02100C6	1000	Matt glass	Black profile

