SECTION ONE 01



For further **technical information** on any of our products please **visit our website** **www.mcalpineplumbing.com**

Traps

McAlpine has been **manufacturing plumbing products since 1907** and was the first Company in the UK to manufacture plastic waste traps in 1957.

We are proud that our traps are the number one sellers in the UK market. As one plumber stated in a recent Trust Pilot review, **'Nobody wants a leak when a shower tray has been installed!'** Because we don't compromise on quality our traps are quite simply seen as the **plumbers' first choice**.

Bottle Traps

Product	1¼" Code	1½" Code	Water Seal	Material	Anti-Syphon	Resealing	Adjustable Inlet
	**A10**	**C10**	75mm	Plastic			
	**A10V**	**C10V**	75mm	Plastic	✓		
	**A10R**	**C10R**	75mm	Plastic		✓	
	**A10A**	**C10A**	75mm	Plastic			✓
	**A10AV**	**C10AV**	75mm	Plastic	✓		✓
	**A10AR**	**C10AR**	75mm	Plastic		✓	✓
	**AA10**	-	75mm	Plastic			✓
	**AA10-BL**	-	75mm	Plastic			✓

Bottle Traps

Product	1¼" Code	1½" Code	Water Seal	Material	Anti-Syphon	Resealing	Adjustable Inlet
	**BK1**[1]		75mm	Plastic			✓
	**AA10W**[2]	-	75mm	Plastic			✓
	**E10** -	- **G10**	50mm 40mm	Plastic			
	**E10-BL**	-	50mm	Plastic			
	**A10AR-CP**	**C10AR-CP**	75mm	Chrome Plated Plastic		✓	✓
	**CAA10**	-	75mm	Chrome Plated Plastic			✓

1. Clicker Waste | 2. Centre Pin Waste

Chrome Plated Basin Traps

- Pipe is **32mm European size** and is adapted to UK size by MS4-32SOLVENT fitting giving an **1¼" solvent weld outlet**.
- Wall flange included.

Product	Code	Type	Material	Water Seal	Pipe Length	MS4-32SOLVENT adaptor included
	**CA32MINI-CB**	Bottle	Brass	50mm	12"	✓
	**CA32UK-CB**	Bottle	Brass	75mm	16"	✓
	**TA32VUK-CB**	Tubular	Plastic	50mm	12"	
	**A32UK-CP**	Bottle	Plastic	75mm	16"	✓
	**CA32SQUK-CB**	Square Bottle	Brass	50mm	12"	✓
	**A32UK-CB**	Bottle	Brass	75mm	16"	✓

Fit & Forget

With our range of **Chrome Plated Brass slimline Compression fittings and adaptors.**



35A-CB



35B-CB



42E-CB



ABS32/35A-CB



ABS32/35G-CB Shown Above

Self-Closing Waste Valves

Product	Code	Type	Size	Inlet	Outlet
	**MACVALVE-1**	Valve	1¼"	BSP Female Nut	Compression
	MACVALVE-2	Valve	1½"	BSP Female Nut	Compression
	MACVALVE-3	Valve	1¼"	22mm tundish with compression inlet	Compression
	MACVALVE-4	Valve	2"	Compression	Compression
	**S4U**[1]	90° Bend	1¼"	Female Nut	BSP Male Connector
	**T4U**[1]	90° Bend	1½"	Female Nut	BSP Male Connector
	**S31U**[1]	Straight	1¼"	BSP Male Thread	Compression
	**T31U**[1]	Straight	1½"	BSP Male Thread	Compression

1. S4U, T4U, S31U & T31U only suitable for use with MACVALVE. 1¼", BSP Female inlet nut x 1¼", compression outlet, including tundish adapter 1¼" BSP male thread x 22 mm compression inlet.

MacValve

Can be fitted in **horizontal or vertical** position

MacValve membrane opens under water pressure to allow discharge to flow freely and then closes to form a seal to **prevent foul odour or sewer gas entering the building**



MacValve having no water seal **can never dry out through evaporation** or lack of use of an appliance as the membrane remains sealed

OTHER BENEFITS

- MacValve can be fitted in installations where a **non-return valve can be of benefit** to the plumbing installation
- MacValve can be used to **take the discharge from a pressure relief valve** on an unvented domestic hot water storage system. Please refer to guidance notes in approved Document G3 of the Building Regulations
- MacValve **must not** be used for baths or shower trays unless there is access for maintenance



MACVALVE-3

The Tundish adaptor can be cut to give a **22mm plain tail**


When being installed as part of D2 Pipework from an unvented appliance, MACVALVE must be installed vertically in accordance with Building Regulation G3.

Space Saver Self Closing Waste Valves

Product	Code	Type	Size	Inlet	Outlet	Height
	**WHB-1**	Space Saver for Basin	1¼"	BSP Female Nut	Compression	62mm
	**WV-1**	Space Saver for Sink/Bath	1½"	BSP Female Nut	Compression	75mm

WHB-1

Shallow **Wash Hand Basin** Space Saver



WHB-1
Cross Section

PRODUCT BENEFITS:

- **Overall height only 62mm**
- Space saving design **ideal for bathroom furniture**
- No water seal to evaporate
- **Easily cleaned** and maintained
- Eliminates negative pressures that cause slow water drainage
- **1¼"** BSP female nut inlet x compression outlet



The **McAlpine Tubular Traps** - The Industry Standard



"Exactly what I needed, **quality is second to none** as always.

Quick & Easy to install, even in a confined space. **No leaks due to the reliable compression system** used. No tools or sealants required.

Product	1¼" Code	1½" Code	2" Code	Type	Water Seal	Anti-Syphon	Adjustable Inlet
	**SA10**	**SC10**	**SE10**	Swivel 'P'	75mm		
	**SA10V**	**SC10V**	**SE10V**	Swivel 'P'	75mm	✓	
	**ASA10**	**ASC10**	**ASE10**	Swivel 'P'	75mm		✓
	**ASA10V**	**ASC10V**	**ASE10V**	Swivel 'P'	75mm	✓	✓

Tubular Traps

Product	1¼" Code	1½" Code	2" Code	Type	Water Seal	Anti-Syphon	Adjustable Inlet
	**BK2[1]**	-	-	Swivel 'P' with centre pin waste	75mm		✓
	**ASA10W[2]**	-	-	Swivel 'P' with centre pin waste	75mm		✓
	**SB10**	**SD10**	**SF10**	Swivel 'S'	75mm		
	**SP10**	**TP10**	**ZP10**	All One S or P Trap	75mm		✓
	**SP10V**	**TP10V**	-	All One S or P Anti-Syphon	75mm	✓	✓
	**SR10**	**TR10**	**SG10**	Running 'P'	75mm		

1. Clicker Waste | 2. Centre Pin Waste

Tubular Traps

Product	1¼" Code	1½" Code	2" Code	Type	Water Seal	Anti-Syphon	Adjustable Inlet
	**SS10**	**TS10**	**SH10**	Running 'S'	75mm		
	**ASA10-SP**	**ASC10-SP**	-	Swivel 'P' with additional 19/23mm inlet	75mm		✓
	**BT1**	**BT2**	-	Bidet	19mm		✓
	**BT3**	-	-	Low Inlet Swivel 'P'	75mm		
	**BT4**	-	-	Swivel 'P'	50mm		
	-	**TT10**	-	Waste Disposal	75mm		
	-	**TRSH10**	-	Running	20mm		

Pedestal Traps

Product	1¼" Code	1½" Code	2" Code	Type	Water Seal	Anti-Syphon	Adjustable Inlet
	**OBT1**	-	-	Offset Basin			✓
	**OBT1V**	-	-	Offset Basin		✓	✓
	**X10**	-	-	Pedestal			
	**X10V**	-	-	Pedestal		✓	
	**X10A** **Y10**	- -	- -	Pedestal Pedestal with 1½" outlet			
	**V1ABSV-1.25-WH** -	- **V1ABSV-1.50-WH**	- -	AAV Trap Adaptor makes any Trap Anti-Syphon		✓	
	**V1ABSV-1.25-BL** -	- **V1ABSV-1.50-BL**	- -	AAV Trap Adaptor makes any Trap Anti-Syphon		✓	

1½" Domestic Appliance Traps

Product	Code	Nozzle	Anti-Syphon	Adjustable Inlet	Blanking Plug(s) Included
	**WM1**	Single			
	**WM2**	Single			
	**WM2V**	Single	✓		
	**WM14**	Single			✓
	**WM11**	Double		✓	✓
	**WM11-BL**	Double		✓	✓
	**WM12**	Single		✓	✓

1½" Domestic Appliance Traps

Product	Code	Nozzle	Anti-Syphon	Adjustable Inlet	Blanking Plug(s) Included
	**WM15**	Single		✓	✓
	**ASC10-CO**	Single with additional 19/23mm compression inlet		✓	✓
	**WM4**	Teevent		✓	
	**WM3**	Standpipe		✓	
	**V33WM**	Twin Connector			✓
	**WM3-CAP**	Cap for WM3			

Domestic Appliance Accessories

Product	Code	Size	Type
	**SSINLET1**	1½"	Space Saver Trap Inlet
	SSINLET2	1¼"	Space Saver Trap Inlet
	**NUT-WMVALVE**	¾"	BSP Female Blank Cap
	**NUT-BLANK-WH**	1"	BSP Female Blank Cap
	**R23U**	19/23mm	Compression Blanking Cap
	**228532**	-	Blanking Plug for Appliance Connection

Follow us on **Social Media**

Facebook @McAlpinePlumb

Instagram @McAlpinePlumb

(X) Twitter @McAlpinePlumb



Domestic Appliance Accessories




Nozzles

Product	Code	Angle	Connection To	Blanking Plug(s) Included
	**WMF3**	Straight	1½" Multifit	
	**WMF4**	90°	1½" Multifit	
	MA15	135°	1" BSP Thread	✔
	**WFH-CON1** (For use with small bore pipes up to 14mm diameter)	135°	1" BSP Thread	

Tees

Product	Code	Nut	Thread	Nozzle	Type
	**V33L**	1½" BSP	1½" BSP	¾"	Swept Tee
	**V34L**	1¼" BSP	1¼" BSP	¾"	Tee
	**V33S**	1½" BSP	1½" BSP	¾"	Tee Piece

1½" Standard Sink Kits

Product	Code	Sink Bowls	Nozzles
	**SK1**	Bowl & Half	1
	**SK1A**	Bowl & Half	2
	**SK2**	Double	1
	**SK2A**	Double	2
	**SK2A-BL**	Double	2
	**SK3**	Three	1

Sink Kit with Basket Strainer Wastes (No Trap)

Product	Code	Sink Bowls	Nozzles
  Rectangular & Round Grids both Included	**SK2-BWS**	Double	1






Space Saver Kits are designed to allow full use of storage space below the sink bowl(s) and are **suitable for use with almost all British and European sinks**.

All kits have **1½" inlet connections** and the provision for the discharge hose(s) of domestic appliance(s). Also supplied with a **1½"x 75mm water seal tubular swivel 'P' trap**.

Space Saver Sink Kit

1½" Space Saver Sink Kits

Product	Code	Sink Bowls
	**SSK1**	Single
	**SSK2**	Double/Bowl & Half
	**SSK3**	Three

Blanking plug (Code: 228532) is included in standard and space saver kits.

Plumbing Kit for Adjustable Height

Product	Code	Size	Use
	**FLEXKIT1**	1¼" x 1½"	For adjustable height basins or sinks

Waste Disposal Unit Features

An **environmentally sound solution** to the growing problem of food waste.

- **25% more torque** than other brands provides more grinding power
- Unique permanent magnet motor produces **higher RPM** (revolutions per minute) than AC (alternating current) induction motors
- Corrosion proof cast **stainless steel** impellers on all models
- 180° dual swivel anti-jam impellers **prevent jamming**
- **High efficiency** performance saves time, water and energy
- Motor incorporates **sound eliminating** insulation technology for quiet operation
- **BioGuard antimicrobial** eliminates bacteria and odours
- Power cord included
- Supplied with **90° Bend x 11/2"** BSP thread for connection to trap

Product Features



Waste Disposal Units

Product	Code	Level	HP-RPM	Warranty	Switch
	**WDU-1UK**	Entry	1/2 HP - 2500 RPM	3 Year	Wall Switch
	**WDU-1ASUK**	Entry	1/2 HP - 2500 RPM	3 Year	Built-in Air Switch
	**WDU-2ASUK**	Mid	5/8 HP - 2500 RPM	8 Year	Built-in Air Switch
	**WDU-3ASUK**	High	3/4 HP - 2500 RPM	10 Year	Built-in Air Switch

Perfect Grinding System

Perfect Grind® System can efficiently grind the toughest bones **faster and finer** than other brands and is safe for any properly sized septic system. **Wear resistant and corrosion proof**.

Stainless steel grinding rings specially designed large opening, round holes and arch cutters.

Corrosion Proof Grinding Chamber

Grinding chamber is constructed with the proven durability of glass filled nylon for **lasting performance** and is treated with **BioGuard antimicrobial** odour protection.



Accessories

Batch Feed Kit

BFKIT-1UK

For converting continuous feed models to batch feed allowing the disposal unit cover to be used as an on/off switch.



Air Switch Adaptor

AS-UK

For converting WDU1-UK unit from wall switch to air switch operation.



Bath Traps

Product	Code	Size	Water Seal	Anti-Syphon	Extended Body
	**L10**	1½"	75mm		
	**L10V**	1½"	75mm	✓	
	**SM10E**	1½"	60mm		✓
	**SM10EV**	1½"	60mm	✓	✓
	**SM10**	1½"	50mm		
	**SM10V**	1½"	50mm	✓	

Bath Traps

Product	Code	Size	Water Seal	Anti-Syphon	Extended Body
	**SMP10**	1½"	50mm		
	**SMP10V**	1½"	50mm	✔	
	**P10**	1¼"	19mm		
	Q10	1½"	19mm		

Bath Traps with Top Access

(Available in Chrome, Brushed Brass, Matt Black & White)

Product	Code	Size	Water Seal	Overflow Plate	Plug	Overflow Length
	**HC2650UK**	1½"	50mm	CP Brass	Domed CP Brass Clicker	330mm - 580mm
	**HC2650UK-BB**	1½"	50mm	Brushed Brass	Domed Brushed Brass Clicker	330mm - 580mm

Bath Traps with Top Access

(Available in Chrome, Brushed Brass, Matt Black & White)

Product	Code	Size	Water Seal	Overflow Plate	Plug	Overflow Length
	**HC2650UK-MB**	1½"	50mm	MB Matt Black	Domed MB Brass Clicker	330mm - 580mm
	**HC2650UK-WH**	1½"	50mm	White Plated Brass	Domed White Plated Brass Clicker	330mm - 580mm

Bath Traps with Overflows

Product	Code	Size	Water Seal	Overflow Grating	Includes Waste
	**FJ10**	1½"	75mm	Chrome Plated Plastic	
	**FJ10WC**	1½"	75mm	Chrome Plated Plastic	✔
	**FSK10E**	1½"	60mm	Chrome Plated Plastic	

Product	Code	Size	Water Seal	Overflow Grating	Includes Waste
	**FSK10**	1½"	50mm	Chrome Plated Plastic	

HC2650UK

Shallowest Top Access combined **Bath Trap** & Waste on the Market

- Overall height of **only 112mm**.
- Top access makes it **extremely easy to clean**.
- Trap outlet **rotates through 270°** for easy installation.
- 50mm water seal **conforms to regulations**.
- **Compression joint** on overflow connection.
- All working parts **replaceable**.
- Matching chrome clicker plug and overflow face.
- The **only complete Bath outlet solution** on the market.
- Comes complete with **fixing tools**.
- Available in Matt Black: **HC2650UK-MB** & White: **HC2650UK-WH**



McAlpine **Bath Fillers** Benefits

Will fit overflow hole size **46mm to 65mm**

Compact filler design **70mm diameter x 25mm deep** suitable for curved baths


Filler manufactured in **cast brass**

Flow Rates
0.5 bar pressure produces **33 litres per minute**
1.0 bar pressure produces **44 litres per minute**
2.0 bar pressure produces **57 litres per minute**

650mm WRAS approved braided hose with **90° bend**

Compression overflow connection to trap

All traps **1½"x 50mm water seal** with Multifit outlet



Bath Fillers

Product	Code	Size	Overflow Length	Plug	Trap
	**HCN3365UK**	1½"	575mm	Clicker	Swivel
	HCN3365UK-1M	1½"	1m	Clicker	Swivel
	**HCN3165UK**	1½"	575mm	Pop-Up	Swivel
	HCN3165UK-1M	1½"	1m	Pop-Up	Swivel
	**HC2650UK-FIL**	1½"	575mm	Domed CP Brass Clicker	Top Access
	HC2650UK-FIL-1M	1½"	1m	Domed CP Brass Clicker	Top Access


Chrome Plated Brass Bath Traps

Outlets compatible with Plastic & Chrome pipe

Product	Code	Size	Water Seal	Type	Plug
	**BRASSTRAP-50-CP**	1½"	50mm	Trap, Waste & Overflow	Clicker
	BRASSTRAP-25-CP	1½"	25mm	Trap, Waste & Overflow	Clicker
	**BATHTRAP-50-CPB**	1½"	50mm	Trap	
	BATHTRAP-25-CPB	1½"	25mm	Trap	

McALPINE

Manufacturing **plastic** traps in the UK **since 1957**



Pushfit Traps

- Suitable for WC squatting pans, slop hoppers or similar appliances with **90-114mm plain end outlet**
- Will connect to **110mm pipe**
- Made from HDPE

Product	Code	Size	Water Seal	Outlet
	**WCTRAP4P**	110mm	50mm	Horizontal
	**WCTRAP4S**	110mm	50mm	Vertical

Urinal Bowl Syphonic Traps

Product	Code	Size	Water Seal	Outlet
	**HCUP50UK**	2”	75mm	Solvent Weld
	**HCUS50UK**	2”	75mm	Solvent Weld

90mm Shower Traps

Product	Code	Tops	Outlet Size	Outlet Type	Water Seal	Overall Height	Flow Rate (l/min)
	ST90CP10-53	1	1½"	Solvent Weld	25mm	53mm	24
	ST90CB10-53	2					
	ST90CPB-P-53	3					
	ST90CPB-S-53	4					
	ST90CP10-70	1	1½"	Compression	50mm	70mm	34
	ST90CB10-70	2					
	ST90CPB-P-70	3					
	ST90CPB-S-70	4					
	ST90WH10-70	5					
	ST90MB10-70	6					
	ST90CP10-HP2	1	1½"	Compression	50mm	90mm	42
	ST90CB10-HP2	2					
	ST90CPB-P-HP2	3					
	ST90CPB-S-HP2	4					
	ST90WH10-HP2	5					
	ST90CP10-HP	1	2"	Compression	50mm	90mm	50
	ST90CB10-HP	2					
	ST90CPB-P-HP	3					
	ST90CPB-S-HP	4					
	ST90WH10-HP	5					
	ST90CP10-V	1	2"	Vertical Compression	50mm	106mm	50
	ST90CB10-V	2					
	ST90CPB-P-V	3					
	ST90CPB-S-V	4					
	ST90WH10-V	5					

⚠ Do not pour drain cleaner down these products. If sealant is required/prefered, we recommend the use of MacXseal.

90mm Shower Traps

Product	Code	Tops	Outlet Size	Outlet Type	Water Seal	Overall Height	Flow Rate (l/min)
	**ST90CP10-NRV**	1	1½"	Solvent Weld	Non-Return Valve	53mm	24
	**ST90BB10-FLX** **ST90CP10-FLX** **ST90CPB10-FLX** **ST90MBB10-FLX** **ST90WH10-FLX**	8 1 2 7 5	1½"	Flexible Compression	50mm	70mm	34

Domes & Gratings/Flanges

1. ABS Chrome Dome



2. Brass Chrome Dome



3. Brass Chrome Flange & Grating



4. Brass Chrome Flange & Grating



5. White ABS Dome



6. Black ABS Dome



7. Brass Matt Black Dome



8. Brushed Brass Dome



Additional Accessories

110mm CP Plastic Dome

ST90MECPTOP+SUPP

Suitable for use with ST90CP10-70, ST90CB10-70 and ST90WH10-70 traps.



110 mm CP Domed Flange

ST90CPTOP+TUBE

Suitable for use with ST90CP10, ST90CB10 and ST90WH10 traps.



Longer flange information for thicker shower trays is available on our website.

Product **Benefits**

ST90CP10-53

- Shallowest 90mm Shower Trap available at only **53mm overall height**
- **1½" Solvent** weld outlet
- Installed by **fixing 3 screws**
- 'H' washer **moulds to tray** outlet hole





ST90CP10-53
25mm water seal

53mm



ST90CP10-70
50mm water seal

70mm



ST90CP10-HP2
50mm water seal

90mm



ST90CP10-HP
50mm water seal

90mm



ST90CP10-V
50mm water seal

106mm



ST90CP10-NRV
Non-Return Valve

53mm



Flow Rates

All McAlpine shower traps with top access surpass the minimum required flow rate when tested in accordance with clause 5 of BS EN 274-2:2002. With exception of the ST90-53 range.

65 *Litres per minute tested under a constant 120mm Head of Water*

High Flow Rate

Common Spares

Product	Description	1¼" Code	1½" Code	2" Code
	Replacement Washer Pack	**WASHER-KIT-1.25**		
	Replacement Washer Pack		**WASHER-KIT-1.50**	
	Trap Inlet Washer	**RW1**	**RW2**	**RW3**
	Multifit Rubber Olive	**RWM1**	**RWM2**	**RWM3**
	Multifit Plastic Friction Washer	**PWM1**	**PWM2**	**PWM3**
	Multifit Loose Nut	**S8M**	**T8M**	**Z8M**
	Bottle Trap Cup Rubber Seal for A10 Bottle Trap Cup Rubber Seal for C10 Bottle Trap Cup Rubber Seal for E10	**ARW10** **CRW10** **RW3**	**-** - -	**-** - -
	Rubber Seal to Suit ST90 Dip Tube	**P-RW-STW90**	-	-
	Rubber Seal to Suit STW Dip Tube	**P-OR-SHOWERTRP**	**-**	**-**

Supplied with bottle trap cup runner seal, mutifit plastic friction washer, trap inlet washers, multifit rubber olive, flat inlet washer.

1½" Shower Traps

Product	Code	Tops	Outlet Size	Outlet Type	Water Seal	Overall Height	Flow Rate (l/min)
	STW1-R	1	1½"	Compression	19mm	95mm	26
	STW5-R	2					
	STW3-R	3					
	STW7-R	4					
	STW3-RB	5					
	STW7-RB	6					
	STW1-M	7					
	STW5-M	8					
	STW3-M	9					
	STW7-M	10					
	STW2-95	1	1½"	Multifit	50mm	95mm	22
	STW6-95	2					
	STW4-95	3					
	STW8-95	4					
	STW4B-95	5					
	STW8B-95	6					
	STW2M-95	7					
	STW6M-95	8					
	STW4M-95	9					
	STW8M-95	10					
	STW2-R	1	1½"	Multifit	50mm	118mm	26
	STW6-R	2					
	STW4-R	3					
	STW8-R	4					
	STW4-RB	5					
	STW8-RB	6					
	STW2-M	7					
	STW6-M	8					
	STW4-M	9					
	STW8-M	10					

⚠ Do not pour drain cleaner down these products. If sealant is required/prefered, we recommend the use of MacXseal.

1½" Shower Traps

Product	Code	Tops	Outlet Size	Outlet Type	Water Seal	Overall Height	Flow Rate (l/min)
 22	STW4-65	1	1½"	Solvent Weld	20mm	65mm	22

Domes & Gratings/Flanges

White Plastic Flange & Grating

1. ø 70mm | 2. ø 85mm



CP Plastic Flange & Grating

3. ø 70mm | 4. ø 85mm



CP Brass Flange & Grating

5. ø 70mm | 6. ø 85mm



White Plastic Mushroom Dome

7. ø 70mm | 8. ø 85mm



CP Stainless Steel Mushroom Dome

9. ø 70mm | 10. ø 85mm



STW3-R
19mm water seal



STW4-95
50mm water seal



STW4-R
50mm water seal



Flow Rates

All McAlpine shower traps with top access surpass the minimum required flow rate when tested in accordance with clause 5 of BS EN 274-2:2002.

65 *Litres per minute tested under a constant 120mm Head of Water*

High Flow Rate

Standard Waste

To suit tray with maximum thickness of 22mm.



White Plastic

70mm Flange: **STW70WH**

85mm Flange: **STW85WH**



CP Plastic

70mm Flange: **STW70CP**

85mm Flange: **STW85CP**



CP Brass

70mm Flange: **STW70CPB**

85mm Flange: **STW85CPB**



GP Plastic

70mm Flange: **STW70GP**

85mm Flange: **STW85GP**

Long Waste

With grid to suit tray with maximum thickness of 29mm.



White Plastic

70mm: **STW70WHL**

85mm: **STW85WHL**



CP Plastic

70mm: **STW70CPL**

85mm: **STW85CPL**

Grating Only

For 70/85mm flanges.



White Plastic

Code: **STWGR-WH**



CP Plastic

Code: **STWGR-CP**

Standard Locking Nut

To suit tray with maximum thickness of 22mm.
For use with domed flanges.



White Plastic

70mm: **STW70LN**

85mm: **STW85LN**

Long Locking Nut

To suit tray with maximum thickness of 29mm.
For use with domed flanges.



White Plastic

70mm: **STW70LNL**

85mm: **STW85LNL**

Mushroom Dome



White Plastic

70mm: **STW70WHM**

85mm: **STW85WHM**



CP Plastic

70mm: **STW70SSM**

85mm: **STW85SSM**

Dip Tubes

To suit STW Trap.



White Plastic

19mm water Seal:	**STW19-TUBE**
50mm water Seal:	**STW50-TUBE**
80mm Water Seal:	**STW80-TUBE**

Rubber 'O' Ring Seal

To suit STW dip tube.



Rubber

1½": **P-OR-SHOWERTRAP**

Plumbers Mate

Tel: 01323 720368

www.plumbers-mate-sales.co.uk

All McAlpine Spares are **available** from the Plumbers Mate website




⚠ Do not pour drain cleaner down these products. If sealant is required/prefered, we recommend the use of MacXseal.

McALPINE

Wet Room Brochure

Visit **our website** to view our wet room brochure





www.mcalpineplumbing.com

