Hydromassage Systems



Basic

Continuous water massage. Pneumatic push button.

The Basic system consists of an On/Off water hydromassage function controlled by a pneumatic push button.

This system includes lateral adjustable jets that provide a continuous water massage.



Tonic

Invigorating water massage. Electronic push button.

The Tonic system features a water hydromassage that can be adjusted by means of a power-regulating push button.

This system is equipped with lateral adjustable jets to ensure a continuous water massage.



Total

Invigorating water massage and relaxing air massage. Electronic digital panel.

The Total system features a water-air hydromassage managed by an LCD digital panel, with a range of massage programmes, including continuous or pulsating options, and an electronic Venturi function. This system incorporates lateral, back and feet jets, as well as air jets positioned at the base of the bath.

All of these jets can be adjusted through the digital panel. The system is also equipped with temperature and level sensors to guarantee optimal bath performance.

Hydromassage Functions

Water massage

The water massage is delivered through jets that release a mixture of water and air, creating a toning effect on our bodies. The intensity of the jets can be adjusted using a manual or electronic Venturi function, depending on the system, allowing for customised water pressure, with a softer or more invigorating experience.

Lateral massage: Adjustable jets located on the side of the bath.

Foot massage: Specific for feet.

Back massage: Specific for the back.

Air massage

This massage is performed using bubbles that are released through small jets positioned at the base of the bath. An air massage is softer and more relaxing than a water massage. The intensity of the bubbles can also be adjusted using various control options. Two different technologies are available

Air jets and Soft jets

Customization

Some systems allow users to personalise their massage session by creating programmes that align with their individual needs and preferences, enabling quick and easy customisation.

Self-cleaning

In small quantities, ozone generates a cleansing effect throughout the entire hydromassage system, guaranteeing a clean and hygienic experience every time it is used.

Control Panels



Pneumatic push button

Available in the Basic version. Pneumatic push button to activate and deactivate the hydromassage.



Electronic push button

Available in the TONIC version. Electronic push button to activate and deactivate the hydromassage. The Venturi function (intensity regulation) is activated by turning the push button. The illuminated Roca logo signals massage activation.



Digital panel

Available in the TOTAL versions. Digital panel with LCD screen. Menu navigation with three buttons that allow users to activate, deactivate, change, and adjust the various functions.

Types of Jets



Adjustable lateral ø 50 mm water jet

Lateral jet that can be adjusted to alter the direction of the water. This allows the massage to be adapted to the needs and preferences of each user.



Rotating back ø 32 mm water jet

The back jet has a rotating function that performs a gentle massage, specially designed for the back area.



ø 32 mm foot jet

The foot jet features a microjet designed with minimum dimensions to ensure a gentle massage on the soles of the feet.



ø 27 mm air jet

Air jets have been redesigned, featuring a more oval and flatter shape. This new design enhances comfort and improves overall cleaning efficiency.



Soft jet

Soft jets combine the effect of air and water to create champagne-like bubbles from the base of the bath.

Stonex®

The plasticity of the blend of resins, minerals and pigments used in this material is key to designing original baths with innovative features.



Finishes

00
White

0B
Beige

0P
Pearl

0C
Coffee

0X
Onyx

0K
Black

10
Matt White (N)

Iconography

	Anti-slip	With anti-slip surface
	Weather resistant	Resistant to temperature changes and environmental conditions
	Hygienic	Antibacterial treatment
	Easy Cleaning	Always clean with minimal effort
	Double-Ended	Comfortably accommodates 2 users, with centred waste

Tura *

Double-ended Stonex® freestanding bath. Includes click-clack waste, trap, integrated overflow and wooden tray.

With LED strip light

A248672000 1700 x 750 mm 325 L

Without LED strip light

A248671000 1700 x 750 mm 325 L

Optional:


Headrest with integrated wood counterweight. Made of easy-drying, sustainably sourced fabric. Grey.

A248674000

Finishes:

00





Ariane

Oval Stonex® freestanding bath. Includes click-clack waste, trap and integrated overflow. White interior finish and a choice of exterior colours.

A248669..0 * 1800 x 800 mm 284 L


A248670..0 * 1700 x 750 mm 260 L

A248470..0 [1] 1650 x 750 mm 240 L

Finishes:

00 | 0P | 0X | 0B | 0C | 0K | 10





A	B	C	D	E	F
1800	800	1295	512	56°	71°
1700	750	1265	500	60°	73°
1650	750	1265	500	60°	73°

Dimensions in mm.

Replace (..) in the product reference with the code of the chosen finish: 00 White, 0P Pearl, 0X Onyx, 0B Beige, 0C Coffee, 0K Black, 10 Matt White.

* Product on request. | [1] 00 White in stock, other finishes on request.

Maui Square *


Rectangular Stonex® freestanding bath. Includes click-clack waste, trap and integrated overflow. White interior finish and a choice of outside colours.

A248502..0 1550 x 700 mm 285 L

Finishes:

00 | 0P | 0X | 0B | 0C | 0K





Maui Round (1)


Oval Stonex® freestanding bath. Includes click-clack waste, trap and integrated overflow.

A248499..0 1500 x 700 mm 253 L

Finishes:

00 | 0P | 0X | 0B | 0C | 0K





Raina (1)


Oval Stonex® freestanding bath. Includes click-clack waste, trap and integrated overflow. White interior finish and a choice of exterior colours.

A248466..0 1590 x 790 mm 315 L

Finishes:

00 | 0P | 0X | 0B | 0C | 0K





Dimensions in mm.

Replace (..) in the product reference with the code of the chosen finish: 00 White, 0P Pearl, 0X Onyx, 0B Beige, 0C Coffee, 0K Black.

* Product on request. | (1) 00 White in stock, other finishes on request.

Raina *


Stonex® back to wall bath. Double-ended bath with one wall installation. Includes click-clack waste, trap and integrated overflow.

A248665..0 1800 x 800 mm 338 L

A248668..0 1700 x 750 mm 305 L

Finishes:

00 0P 0X 0B 0C 0K



A	B	C	D	E	F
1800	800	512	1295	56°	71°
1700	750	500	1265	60°	73°

Raina *

Double-ended Stonex® bath with left-hand corner installation. White interior finish and a choice of exterior colours. Includes click-clack waste, trap and integrated overflow.


A248663..0 1800 x 800 mm 315 L

A248666..0 1700 x 750 mm 278 L

Finishes:

00 0P 0X 0B 0C 0K





A	B	C	D
1800	800	1470	565
1700	750	1370	515

Dimensions in mm.

Replace (..) in the product reference with the code of the chosen finish: 00 White, 0P Pearl, 0X Onyx, 0B Beige, 0C Coffee, 0K Black

* Product on request.

Raina *

Double-ended Stonex® bath with right-hand corner installation. White interior finish and a choice of exterior colours. Includes click-clack waste, trap and integrated overflow.


A248664..0 1800 x 800 mm 315 L

A248667..0 1700 x 750 mm 278 L

Finishes:

00 0P 0X 0B 0C 0K





A	B	C	D
1800	800	1470	565
1700	750	1370	515


Ona corner *

Double-ended Stonex® bath with left-hand corner installation. White interior finish and a choice of exterior colours. Includes click-clack waste, trap and integrated overflow.

A248629..0 1600 x 700 mm 260 L

Finishes:

00 0K



Dimensions in mm.

Replace (..) in the product reference with the code of the chosen finish: 00 White, 0P Pearl, 0X Onyx, 0B Beige, 0C Coffee, 0K Black

* Product on request.


Ona *

Double-ended Stonex® bath with right-hand corner installation. White interior finish and a choice of exterior colours. Includes click-clack waste, trap and integrated overflow.

A248638..0 1600 x 700 mm 260 L

Finishes:

00 0K



Ona drop-in *

Rectangular Stonex® drop-in bath. Double-ended bath. Includes click-clack waste, trap and integrated overflow.

A248630000 1700 x 750 mm 277 L

A248631000 1700 x 700 mm 277 L

Finishes:

00



