






OVENS&MICROWAVES  
FOURS et MICRO-ONDES


MULTIFUNCTION OVENS

cata & can Roca



MT 9011 PRO BK

p86



MT 8012 BK

p87



MT 8012 WH

p87

MULTIFUNCTION OVENS



CMD 8108 X

p86



MD 8008 WH

p87



MD 8008 BK

p81



MD 6306 X

p81



MD 6106 X

p82



ME 7207 WH

p82



ME 7207 BK

p83



CME 6406 X

p83

STATIC OVENS



CME 6306 X

p84



ME 6206 X

p84



SE 7205 X

p85




SE 7205 WH

p85



SE 6204 X

p86



SR 6004 X


p86

## RUSTIC OVENS



MRA 7108 WH

p87



MRA 7108 BK

p87

## COMPACT OVENS



CMD 5008 X

p88



ME 4006 X

p89

## 90cm WIDW OVEN



CMD 9208 BK

p89

## SUITABLE FOR 50CM CABINET



CDP 780 AS BK

p91



CM 760 AS BK


p91

## GAS OVEN



HG 6000

p92



HGD 6000

p92



HGD 9060

p93



HG 9060

p93

## BUILT-IN MICROWAVES

cata &amp; can Roca



MC 25 GTC BK

p94



MC 25 GTC WH

p95



MC 32 DC

p96



MC 25 D

p96



MMA 20 X

p97



MC 20 D

p98



MC 20 WH

p99



MC 20 IX

p99



## CATA ovens. Reliability and Efficiency Fours CATA. Fiabilité et efficacité

### Optimal Cooking / Cuisson idéale

Fastness to reach the selected temperature for baking.

Vitesse pour atteindre la température choisie pour la cuisson.

Uniform distribution of temperature at all levels of the cavity for uniform cooking of food in all trays.

Répartition uniforme de la température à tous les niveaux de la cavité pour une cuisson uniforme des aliments sur tous les plateaux.



Pizza Stone accessory for a similar cooking to traditional wooden ovens.

Accessoire Pizza Stone pour une cuisson similaire à celle d'un four à bois traditionnel.



### Capacity / Capacité

Internal capacity of up to 72 L, with 5 levels for trays / grilles.

Capacité interne jusqu'à 72 L, avec 5 niveaux pour plateaux/grilles.



**MT 9011 PRO BK**  
**MT 8012 BK**  
**MT 8012 WH**

Maximum useful surface in the tray 1550 cm<sup>2</sup>.

Surface utile maximale dans le plateau 1550 cm<sup>2</sup>.

### Easy cleaning / Nettoyage facile

The entire cavity and trays are covered with high hardness glaze that avoids the inlay of dirt and facilitates cleaning.

The internal glass is easily removable without the need for tools for cleaning the door.

Aquasmart. The simplest system for a quick cleaning. It is based on the vaporization of water inside the cavity in order to soften the dirt and facilitate cleaning.

Toute la cavité et les plateaux sont recouverts d'un émail de haute dureté qui évite l'incrustation de la saleté et facilite le nettoyage.

La vitre intérieure est facilement démontable sans avoir besoin d'outils pour nettoyer la porte.

Aquasmart. Le système le plus simple pour un nettoyage rapide. Il est basé sur la vaporisation de l'eau à l'intérieur de la cavité afin d'adoucir la saleté et de faciliter le nettoyage.



Removable Crystal  
Verre amovible



Aquasmart  
Aquasmart

## Complementary characteristics Caractéristiques complémentaires

Telescopic guides for easy and stable removal of the tray and grill. Removable for changing levels.

Glissières télescopiques pour un retrait facile et stable du plateau et de la grille. Amovible pour le changement de niveau.



**Softclose.** System that allows a soft and damp door closing.

**Softclose.** Système qui permet une fermeture douce et amortie de la porte.



## Microwaves CATA / Micro-ondes CATA

### Speed and simplicity of use Rapide et facile à utiliser

All models have a Quick Start Button that allows us to start the microwave at maximum power for 30 seconds with just one click.

Each additional click on that button adds 30 seconds to the cooking so that we can perform most operations only with this function.

Tous les modèles ont un bouton de démarrage rapide qui nous permet de démarrer le micro-ondes à puissance maximale pendant 30 secondes avec une seule pression.

Chaque pression supplémentaire sur ce bouton ajoute 30 secondes de plus à la cuisson de sorte que nous pouvons effectuer la plupart des opérations uniquement avec cette fonction.

### Easy cleaning / Facile à nettoyer

Internal cavity of high strength stainless steel and removable glass disc for easy cleaning.

Cavité interne en acier inoxydable haute résistance et disque de verre amovible pour un nettoyage facile.

### Premium features / Caractéristiques Premium

- ☐ Grill for gratin functions.
- ☐ Combined grill and microwave function menus.
- ☐ Thawing by time and weight.
- ☐ Possibility of rear fan for the most homogeneous cooking in model MC 32D.
- ☐ Grille pour les fonctions grillades.
- ☐ Menus combinés grillades et micro-ondes.
- ☐ Dégivrage en fonction du temps et du poids.
- ☐ Possibilité d'un ventilateur arrière pour une cuisson plus homogène sur le modèle MC 32D.

## Touchscreen 5" / Écran tactile de 5"

It allows you to perform the basic cooking functions easily and intuitively and, at the same time, it gives access to extra cooking functions, recipes and tables for all types of foods.

Il vous permet d'exécuter facilement et intuitivement les fonctions de base de la cuisine tout en vous donnant accès à des fonctions de cuisson supplémentaires, des recettes et des tables pour toutes sortes d'aliments.



Fast heating function, keep warm function, specific function for cooking pizza and function for low temperature cooking in a stable and accurate way.

Fonction de chauffage rapide, maintien au chaud, fonction spécifique pour la cuisson des pizzas, fonction pour une cuisson stable et précise à basse température.



## Easy installation / Installation facile

-The microwave is set only with a single safety screw.

-MMA Models with reduced background and height adjustment allow optimal installation in high-end furniture with perfect integration and adjustment.

Le four à micro-ondes n'est fixé qu'avec une seule vis de sécurité.

-Les modèles MMA avec réglage réduit du fond et de la hauteur permettent une installation optimale dans les meubles hauts avec une intégration et un réglage parfaits.

## Combination in column with ovens Combinaison de colonnes avec des fours







## MT 9011 PRO BK



MT 9011 PRO BK  
Cod. **07047400** EAN **8422248080637**

- ❑ Multifunction oven - 14 functions
- ❑ TFT Control
- ❑ Recipes by El Celler de Can Roca
- ❑ Cooking Tables with function & Temperature recommendation for extensive type of food
- ❑ Special functions Pizza, Keep Warm and Quick Preheat
- ❑ Temperature range 50°C-250°C
- ❑ Chromed support with 5 cooking levels
- ❑ 1 Telescopic guide full extension adaptable to any level
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Triple glazed cool door with tangential ventilation
- ❑ **Soft closing door**
- ❑ Accessories: **Deep tray**, tray and grid
- ❑ **Automatic AquaSmart Cleaning system**
- ❑ Black glass finishing
- ❑ **60cm wide**
- ❑ Net capacity 72 litres
- ❑ 220/240V 50/60Hz
- ❑ **Energy class A**



NEW




## MT 8012 BK

Full Glass



MT 8012 BK  
Cod. **07002411** EAN **8422248094009**

- ☐ Multifunction oven - 11 functions
- ☐ Touch control panel
- ☐ Display cooking programmer with temperature and times
- ☐ Temperature range 50°C-280°C
- ☐ Chromed support with 5 cooking levels
- ☐ 1 Telescopic guide full extension adaptable to any level
- ☐ Panoramic easy-to-clean full glass door
- ☐ 3 glazed cool door with tangential ventilation
- ☐ Accessories: **Deep tray**, tray, grid and pizza stone
- ☐ Automatic AquaSmart Cleaning system
- ☐ Easy to clean enamel
- ☐ Fast preheating
- ☐ Soft closing door
- ☐ Black glass finishing
- ☐ 60cm wide
- ☐ Net capacity 72 litres
- ☐ 220/240V 50/60Hz
- ☐ Energy Class A



NEW




## MT 8012 WH

Full Glass



MT 8012 WH  
Cod. **07002412** EAN **8422248094016**

- ☐ Multifunction oven - 11 functions
- ☐ Touch control panel
- ☐ Display cooking programmer with temperature and times
- ☐ Temperature range 50°C-280°C
- ☐ Chromed support with 5 cooking levels
- ☐ 1 Telescopic guide full extension adaptable to any level
- ☐ Panoramic easy-to-clean full glass door
- ☐ 3 glazed cool door with tangential ventilation
- ☐ Accessories: **Deep tray**, tray, grid and pizza stone
- ☐ Automatic AquaSmart Cleaning system
- ☐ Easy to clean enamel
- ☐ Fast preheating
- ☐ Soft closing door
- ☐ White glass finishing
- ☐ 60cm wide
- ☐ Net capacity 72 litres
- ☐ 220/240V 50/60Hz
- ☐ Energy Class A





## MULTIFUNCTION OVENS



### CMD 8108 X

FAN FORCED Oven



A

CMD 8108 X  
Cod. **07001506** EAN **8422248093910**



### MD 8008 WH


Full Glass




A

MD 8008 WH  
Cod. **07034009** EAN **8422248093927**

- ❑ Multifunction oven - 9 functions
- ❑ Push/Pull controls
- ❑ Digital cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ Chromed support with 5 cooking levels
- ❑ 1 removable telescopic guide adaptable to any level
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Triple glazed cool door with tangential ventilation
- ❑ Accessories: Deep tray, tray, grid and pizza stone
- ❑ AquaSmart Cleaning system
- ❑ Easy to clean enamel
- ❑ Stainless steel and black glass finishing
- ❑ 60cm wide
- ❑ Net capacity 72 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A



- ❑ Multifunction oven - 9 functions
- ❑ Push/Pull controls
- ❑ Digital cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ Chromed support with 5 cooking levels
- ❑ 1 removable telescopic guide adaptable to any level
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Triple glazed cool door with tangential ventilation
- ❑ Accessories: Deep tray, tray, grid and pizza stone
- ❑ AquaSmart Cleaning system
- ❑ Easy to clean enamel
- ❑ White glass finishing
- ❑ 60cm wide
- ❑ Net capacity 72 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A





## MD 8008 BK

FAN FORCED Oven



A

MD 8008 BK

Cod. **07034410** EAN **8422248093941**

## MD 6306 X

FAN FORCED Oven




A


MD 6306 X

Cod. **07034408** EAN **8422248083850**

- ❑ Multifunction oven - 9 functions
- ❑ Push/Pull controls
- ❑ Digital cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ Chromed support with 5 cooking levels
- ❑ 1 removable telescopic guide adaptable to any level
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Triple glazed cool door with tangential ventilation
- ❑ Accessories: Deep tray, tray and grid and pizza stone
- ❑ AquaSmart Cleaning system
- ❑ Easy to clean enamel
- ❑ Black glass finishing
- ❑ 60cm wide
- ❑ Net capacity 72 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A



- ❑ Multifunction oven - 6 functions
- ❑ Digital time and temperature cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ 5 levels for placing trays
- ❑ 1 removable telescopic guide adaptable to any level
- ❑ Panoramic easy-to-clean full glass door
- ❑ Double glazed cool door with tangential ventilation
- ❑ Accessories: Deep tray, tray and grid
- ❑ AquaSmart Cleaning system
- ❑ Stainless steel and black glass finishing
- ❑ 60cm wide
- ❑ Net capacity 70 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A



## MULTIFUNCTION OVENS



### MD 6106 X



MD 6106 X  
Cod. **07033303** EAN **8422248076029**




### ME 7207 WH

Full Glass




ME 7207 WH  
Cod. **07034008** EAN **8422248081856**

- ❑ Multifunction oven - 6 functions
- ❑ Display cooking programmer with temperature and times
- ❑ Temperature range 50°C-250°C
- ❑ 5 levels for placing trays
- ❑ Panoramic easy-to-clean full glass door
- ❑ Double glazed cool door with tangential ventilation
- ❑ Accessories: tray and grid
- ❑ AquaSmart Cleaning system
- ❑ Stainless steel and black glass finishing
- ❑ 60cm wide
- ❑ Net capacity 60 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A



- ❑ Multifunction oven - 7 functions
- ❑ Mechanical cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ Chromed support with 5 cooking levels
- ❑ 1 Telescopic guide adaptable to any level
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Double glazed cool door with tangential ventilation
- ❑ Accessories: Deep tray and grid
- ❑ AquaSmart Cleaning system
- ❑ White glass finishing
- ❑ 60cm wide
- ❑ Net capacity 72 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A





## ME 7207 BK

Full Glass



A

ME 7207 BK

Cod. **07034404** EAN **8422248081849**

## CME 6406 X




A


CME 6406 X

Cod. **07032605** EAN **8422248093880**

- ☐ Multifunction oven - 7 functions
- ☐ Mechanical cooking programmer
- ☐ Temperature range 50°C-250°C
- ☐ Chromed support with 5 cooking levels
- ☐ 1 Telescopic guide adaptable to any level
- ☐ Panoramic easy-to-clean full glass door with removable inner glass
- ☐ Double glazed cool door with tangential ventilation
- ☐ Accessories: Deep tray and grid
- ☐ AquaSmart Cleaning system
- ☐ Black glass finishing
- ☐ 60cm wide
- ☐ Net capacity 72 litres
- ☐ 220/240V 50/60Hz
- ☐ Energy Class A



- ☐ Multifunction oven - 7 functions
- ☐ Mechanical cooking programmer
- ☐ Temperature range 50°C-250°C
- ☐ Chromed support with 5 cooking levels
- ☐ 1 Telescopic guide adaptable to any level
- ☐ Panoramic easy-to-clean full glass door with removable inner glass
- ☐ 2 glazed cool door with tangential ventilation
- ☐ Accessories: Deep tray and grid
- ☐ AquaSmart Cleaning system
- ☐ Easy to clean enamel
- ☐ Stainless steel and black glass finishing
- ☐ 60cm wide
- ☐ Net capacity 72 litres
- ☐ 220/240V 50/60Hz
- ☐ Energy Class A





## MULTIFUNCTION OVENS



### CME 6306 X



CME 6306 X  
Cod. **07032603** EAN **8422248093873**




### ME 6206 X




ME 6206 X  
Cod. **07007303** EAN **8422248075886**

- ❑ Multifunction oven - 7 functions
- ❑ Mechanical cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ Chromed support with 5 cooking levels
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ 2 glazed cool door with tangential ventilation
- ❑ Accessories: **Deep tray** and grid
- ❑ **AquaSmart Cleaning system**
- ❑ Easy to clean enamel
- ❑ Stainless steel and black glass finishing
- ❑ 60cm wide
- ❑ Net capacity 72 litres
- ❑ 220/240V 50/60Hz
- ❑ **Energy Class A**



- ❑ Multifunction oven - 6 functions
- ❑ Mechanical cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ 5 levels for placing trays
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Double glazed cool door with tangential ventilation
- ❑ Accessories: tray and grid
- ❑ **AquaSmart Cleaning system**
- ❑ Stainless steel and black glass finishing
- ❑ 60cm wide
- ❑ Net capacity 60 litres
- ❑ 220/240V 50/60Hz
- ❑ **Energy Class A**





## SE 7205 X



SE 7205 X

Cod. **07033307** EAN **8422248081818**

## SE 7205 WH


Full Glass




SE 7205 WH

Cod. **07033007** EAN **8422248081825**

- ☐ Static oven - 4 functions
- ☐ Mechanical cooking programmer with automatic stop
- ☐ Temperature range 50°C-250°C
- ☐ Chromed support with 5 cooking levels
- ☐ Panoramic easy-to-clean full glass door with removable inner glass
- ☐ Double glazed cool door with tangential ventilation
- ☐ Accessories: tray and grid
- ☐ **AquaSmart Cleaning system**
- ☐ Easy to clean enamel
- ☐ Stainless steel and black glass finishing
- ☐ 60cm wide
- ☐ Net capacity 78 litres
- ☐ 220/240V 50/60Hz
- ☐ **Energy Class A**



- ☐ Static oven - 4 functions
- ☐ Mechanical cooking programmer with automatic stop
- ☐ Temperature range 50°C-250°C
- ☐ Chromed support with 5 cooking levels
- ☐ Panoramic easy-to-clean full glass door with removable inner glass
- ☐ Double glazed cool door with tangential ventilation
- ☐ Accessories: tray and grid
- ☐ **AquaSmart Cleaning system**
- ☐ Easy to clean enamel
- ☐ Whitek glass finishing
- ☐ 60cm wide
- ☐ Net capacity 78 litres
- ☐ 220/240V 50/60Hz
- ☐ **Energy Class A**






## SE 6204 X



SE 6204 X  
Cod. **07044600** EAN **8422248075831**

- ☐ Static oven - 4 functions
- ☐ Temperature range 50°C-250°C
- ☐ 5 levels for placing trays
- ☐ Panoramic easy-to-clean full glass door with removable inner glass
- ☐ Double glazed cool door with tangential ventilation
- ☐ Accessories: tray
- ☐ Easy to clean enamel
- ☐ Stainless steel finishing
- ☐ 60cm wide
- ☐ Net capacity 65 litres
- ☐ 220/240V 50/60Hz
- ☐ **Energy Class A**




## SR 6004 X



SR 6004 X  
Cod. **07044601** EAN **8422248093798**

- ☐ Static oven - 4 functions
- ☐ Fix knobs
- ☐ Mechanical cooking programmer with automatic stop
- ☐ Temperature range 50°C-250°C
- ☐ Embossed cavity with 5 cooking levels
- ☐ Panoramic easy-to-clean full glass door with removable inner glass
- ☐ Double glazed cool door with tangential ventilation
- ☐ Accessories: Deep tray and grid
- ☐ Easy to clean enamel
- ☐ Stainless steel and black glass finishing
- ☐ 60cm wide
- ☐ Net capacity 52 litres
- ☐ 220/240V 50/60Hz
- ☐ **Energy Class A**



**MRA 7108 WH**

FAN FORCED Oven



MRA 7108 WH

Cod. **07035009** EAN **8422248077033****MRA 7108 BK**


FAN FORCED Oven




MRA 7108 BK

Cod. **07035409** EAN **8422248077026**

- ❑ **Multifunction** oven - 7 functions
- ❑ **Mechanical** cooking programmer
- ❑ Temperature range 40°C-240°C
- ❑ Chromed support with 5 cooking levels
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Double glazed cool door with tangential ventilation
- ❑ Accessories: **Deep tray**, tray and grid
- ❑ White rustic finishing
- ❑ 60cm wide
- ❑ Net capacity 60 litres
- ❑ 220/240V 50/60Hz
- ❑ **Energy Class A**



- ❑ **Multifunction** oven - 7 functions
- ❑ **Mechanical** cooking programmer
- ❑ Temperature range 40°C-240°C
- ❑ Chromed support with 5 cooking levels
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Double glazed cool door with tangential ventilation
- ❑ Accessories: **Deep tray**, tray and grid
- ❑ **AquaSmart cleaning system**
- ❑ black rustic finishing
- ❑ 60cm wide
- ❑ Net capacity 60 litres
- ❑ 220/240V 50/60Hz
- ❑ **Energy Class A**





## MULTIFUNCTION OVENS



### CMD 5008 X


FAN FORCED Oven



CMD 5008 X

Cod. **07003307** EAN **8422248067881**

- ❑ Multifunction oven - 8 functions
- ❑ Push/Pull controls
- ❑ Digital cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ 4 levels for placing easy-to-move trays
- ❑ 1 Telescopic guide full extension adaptable to any level
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Triple glazed cool door with tangential ventilation
- ❑ Accessories: Deep tray and grid
- ❑ AquaSmart Cleaning system
- ❑ Stainless steel and black glass finishing
- ❑ Built into a 45cm unit
- ❑ 60cm wide
- ❑ Net capacity 40 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A





## ME 4006 X



ME 4006 X  
Cod. **07003305** EAN **8422248067867**




## CMD 9208 BK

FAN FORCED Oven




CMD 9208 BK  
Cod. **07039305** EAN **8422248093156**

- ❑ Multifunction oven - 6 functions
- ❑ Mechanical cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ 4 levels for placing easy-to-move trays
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Triple glazed cool door with tangential ventilation
- ❑ Accessories: tray and grid
- ❑ AquaSmart Cleaning system
- ❑ Stainless steel and black glass finishing
- ❑ Built into a 45cm unit
- ❑ 60cm wide
- ❑ Net capacity 40 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A



- ❑ Multifunction oven - 8 functions
- ❑ Push/Pull controls
- ❑ Digital cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ 5 levels for placing easy-to-move trays
- ❑ Panoramic door, easy clean interior
- ❑ Triple glazed cool door
- ❑ Accessories: Deep tray and grid
- ❑ Easy clean system
- ❑ Black glass finishing
- ❑ 90cm wide
- ❑ Net capacity 93 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A





## MULTIFUNCTION OVENS




## CDP 780 AS BK

Suitable for short  
depth cabinetsCDP 780 AS BK  
Cod. **07001401** EAN **8422248059503**


## CM 760 AS BK

Suitable for short  
depth cabinetsCM 760 AS BK  
Cod. **07032307** EAN **8422248059497**

- ❑ Multifunction oven - 8 functions
- ❑ Push/Pull controls
- ❑ Digital cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ 4 levels for placing easy-to-move trays
- ❑ 1 telescopic guide
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Double glazed cool door with tangential ventilation
- ❑ Accessories: Deep tray and grid
- ❑ AquaSmart Cleaning system
- ❑ Stainless steel and black glass finishing
- ❑ 60cm wide
- ❑ Suitable for 50cm cabinet
- ❑ Net capacity 50 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A



- ❑ Multifunction oven - 6 functions
- ❑ Mechanical cooking programmer
- ❑ Temperature range 50°C-250°C
- ❑ 4 levels for placing easy-to-move trays
- ❑ Panoramic easy-to-clean full glass door with removable inner glass
- ❑ Double glazed cool door with tangential ventilation
- ❑ Accessories: Deep tray and grid
- ❑ AquaSmart Cleaning system
- ❑ Black glass finishing
- ❑ 60cm wide
- ❑ Suitable for 50cm cabinet
- ❑ Net capacity 50 litres
- ❑ 220/240V 50/60Hz
- ❑ Energy Class A







## HG 6000



HG 6000

Cod. **07031307** EAN **8422248075152**

470 €



## HGD 6000




HGD 6000


Cod. **07031308** EAN **8422248075169**

470 €

- ☐ Gas oven
- ☐ Mechanical cooking programmer
- ☐ Adjustable Thermostat
- ☐ Inner ventilation fan for heat distribution
- ☐ 4 levels to place easy to move trays
- ☐ Double glazed cool door with tangential ventilation
- ☐ Accessories: tray, grid, **roast kit**
- ☐ Finished in stainless steel
- ☐ 60cm wide
- ☐ Turnspit (Rotisserie)
- ☐ Net capacity 54 L
- ☐ Prepared for LPG gas G30/G31
- ☐ Power:
  - Upper grill gas 1.5kW
  - Bottom gas 1.8kW
- ☐ 220-240V 50Hz/60Hz



- ☐ Gas oven with electric grill
- ☐ Digital cooking programmer
- ☐ Adjustable Thermostat
- ☐ Inner ventilation fan for heat distribution
- ☐ 4 levels to place easy to move trays
- ☐ Triple glazed cool door with tangential ventilation
- ☐ Accessories: tray, grid, **roast kit**
- ☐ Finished in stainless steel
- ☐ 60cm wide
- ☐ Turnspit (Rotisserie)
- ☐ Net capacity 57 L
- ☐ Prepared for LPG gas G30/G31
- ☐ Power:
  - Electric grill heating 2.0kW.
  - Bottom gas 1.8kW
- ☐ 220-240V 50Hz/60Hz
- ☐ Energy class A





## HGD 9060



HGD 9060  
Cod. **07031311** EAN **8422248079402**

470 €


## HG 9060




HG 9060  
Cod. **07031310** EAN **8422248077118**

470 €

- ☐ Gas oven with electric grill
- ☐ Digital cooking programmer
- ☐ Adjustable Thermostat
- ☐ Inner ventilation fan for heat distribution
- ☐ 4 levels to place easy to move trays
- ☐ Triple glazed cool door with tangential ventilation
- ☐ Accessories: tray ( with inner grid ) , grid, **roast kit**
- ☐ Finished in stainless steel
- ☐ 90cm wide
- ☐ Turnspit (Rotisserie)
- ☐ Net capacity 97 litres
- ☐ Prepared for LPG gas G30/G31
- ☐ Power:
  - Electric grill heating 2.5kW
  - Bottom gas 3.5kW
- ☐ 220-240V 50Hz/60Hz
- ☐ Energy class B



- ☐ Gas oven
- ☐ Digital cooking programmer
- ☐ Adjustable Thermostat
- ☐ Inner ventilation fan for heat distribution
- ☐ 4 levels to place easy to move trays
- ☐ Triple glazed cool door with tangential ventilation
- ☐ Accessories: tray ( with inner grid ) , grid, **roast kit**
- ☐ Finished in stainless steel
- ☐ 90cm wide
- ☐ Turnspit (Rotisserie)
- ☐ Net capacity 97 litres
- ☐ Prepared for LPG gas G30/G31
- ☐ Power:
  - Bottom gas 3.5kW
  - Gas Grill 2.7kW
- ☐ 220-240V 50Hz/60Hz










## MC 25 GTC BK

MC 25 GTC BK  
Cod. **07510400** EAN **8422248055277**

- ❑ **25 litre** built-in microwave
- ❑ Simultaneous 1,000 W quartz grill
- ❑ Five power levels, 900 W output
- ❑ **Stainless steel interior**
- ❑ Revolving dish ø 315 mm
- ❑ Timer from 0 to 95 minutes
- ❑ Automatic defrosting by time and weight
- ❑ 8 automatic access menus
- ❑ Fast start button
- ❑ **Easy to install**
- ❑ Safety lock
- ❑ Finished in **black glass**
- ❑ 60cm wide



-  Fast start button
-  Maximum ease of use.  
100 % Touch
-  Quartz Rack  
1000 W
-  Easy cleaning  
full glass




Stainless steel interior



## MC 25 GTC WH

MC 25 GTC WH  
Cod. **07510000** EAN **8422248055260**

- ❑ **25 litre** built-in microwave
- ❑ Simultaneous 1,000 W quartz grill
- ❑ Five power levels, 900 W output
- ❑ **Stainless steel interior**
- ❑ Revolving dish ø 315 mm
- ❑ Timer from 0 to 95 minutes
- ❑ Automatic defrosting by time and weight
- ❑ 8 automatic access menus
- ❑ Fast start button
- ❑ **Easy to install**
- ❑ Safety lock
- ❑ Finished in **white glass**
- ❑ 60cm wide



Fast start button



Maximum ease of use.  
100 % Touch



Quartz Rack  
1000 W



Easy cleaning  
full glass



Stainless steel interior

## BUILT-IN MICROWAVES



### MC 32 DC

Convection Fan 2.500W

MC 32 DC  
Cod. **07510303** EAN **8422248055253**




### MC 25 D

Simultaneous 1.100W  
Quartz Grill




MC 25 D  
Cod. **07510300** EAN **8422248048453**

- ❑ 32 litre built-in microwave
- ❑ Simultaneous 1,100 W grill
- ❑ Five power levels, 900 W output
- ❑ Convection fan 2,500W (total power)
- ❑ Stainless steel interior
- ❑ Revolving dish ø 315 mm
- ❑ Timer from 0 to 95 minutes
- ❑ Automatic defrosting by time and weight
- ❑ 10 automatic access menus
- ❑ Fast start button
- ❑ Easy to install
- ❑ Safety lock
- ❑ Finished in anti-fingerprint stainless steel
- ❑ 60cm wide
- ❑ Inner measurements 218 x 353 x 345 mm (high x wide x deep)



- ❑ 25 litre built-in microwave
- ❑ Simultaneous 1,000 W quartz grill
- ❑ Five power levels, 900 W output
- ❑ Stainless steel interior
- ❑ Revolving dish ø 315 mm
- ❑ Timer from 0 to 95 minutes
- ❑ Automatic defrosting by time and weight
- ❑ 8 automatic access menus
- ❑ Fast start button
- ❑ Easy to install
- ❑ Safety lock
- ❑ Finished in stainless steel
- ❑ 60cm wide
- ❑ Inner measurements 197 x 333 x 355 mm (high x wide x deep)









## MMA 20 X

Installation suitable  
for High Furniture

MMA 20 X  
Cod. **07510308** EAN **8422248077170**

- ❑ 20 litre built-in microwave
- ❑ Installation suitable for High Furniture
- ❑ Simultaneous 1,000 W grill
- ❑ Five power levels, 800 W output
- ❑ **Stainless steel interior**
- ❑ Revolving dish ø 245 mm
- ❑ Timer from 0 to 35 minutes
- ❑ Automatic defrosting by time and weight
- ❑ Fast start button
- ❑ **Easy to install**
- ❑ Finished in stainless steel
- ❑ 60cm wide
- ❑ Inner measurements 195 x 298 x 300 mm  
(high x wide x deep)



## MMA 20

### INSTALLATION SUITABLE FOR HIGH FURNITURE




## MC 20 D

Installation suitable  
for High Furniture

MC 20 D  
Cod. **07510301** EAN **8422248049450**

- ☐ 20 litre built-in microwave
- ☐ Simultaneous 1,000 W grill
- ☐ Five power levels, 800 W output
- ☐ **Stainless steel interior**
- ☐ Revolving dish ø 245 mm
- ☐ Timer from 0 to 95 minutes
- ☐ Automatic defrosting by time and weight
- ☐ 8 automatic access menus
- ☐ Fast start button
- ☐ **Easy to install**
- ☐ Safety lock
- ☐ Finished in stainless steel
- ☐ 60cm wide
- ☐ Inner measurements 175 x 298 x 320 mm  
(high x wide x deep)




**MC 20 WH**

Installation suitable  
for High Furniture

MC 20 WH  
Cod. **07510006** EAN **8422248086936**


- ☐ **20 litre** built-in microwave
- ☐ Simultaneous 1,000 W grill
- ☐ Five power levels, 800 W output
- ☐ **Stainless steel interior**
- ☐ Revolving dish ø 245 mm
- ☐ Timer from 0 to 95 minutes
- ☐ Automatic defrosting by time and weight
- ☐ Fast start button
- ☐ **Easy to install**
- ☐ Finished in white glass
- ☐ 60cm wide
- ☐ Inner measurements 208 x 295 x 314 mm  
(high x wide x deep)

**MC 20 IX**

Installation suitable  
for High Furniture

MC 20 IX  
Cod. **07510306** EAN **8422248058476**

- ☐ **20 litre** built-in microwave
- ☐ Simultaneous 1,000 W grill
- ☐ Five power levels, 800 W output
- ☐ **Stainless steel interior**
- ☐ Revolving dish ø 245 mm
- ☐ Timer from 0 to 95 minutes
- ☐ Automatic defrosting by time and weight
- ☐ Fast start button
- ☐ **Easy to install**
- ☐ Safety lock
- ☐ Finished in stainless steel
- ☐ 60cm wide
- ☐ Inner measurements 175 x 298 x 320 mm  
(high x wide x deep)





# HOBBS



INDUCTION

cata & can roca



ROCOOK




p104-107 IDF 9012 PRO BK



p110 IDF 8021 PRO BK



p111 IDB 6003 PRO BK




p112



GIGA 750 BK

p113




GIGA 600 BK

p114



GIGA 600 WH


p115



SURFACE INTEGRATION

AS 750

p116-117



INSB 9012 BK

p118




INSB 8021 BK

p118



INSB 6003 BK

p119




IF 6011 BK




INSB 6032 BK

p120



ISB 6130 BK

p120



ISB 603 BK

p121



IB 6304 BK

p121



I 6104 BK

p122



IB 604 BK

p122



IB 6030 BK

p123



IB 6030 WH

p123



IB 6203 BK

p123




IB 6203 WH

p123




IB 6303 BK

p124



IB 753 BK

p124



IB 772

p125



IB 0722 BK

p125



IB 2 PLUS BK

p125



IB 3102 BK

p126



ISB 3002 BK

p126




IB 1822 BK

p127




IB 073 BK

p127



TCD 772




p128



T 604

p128

HIGH LIGHT HOBS



#### KITCHENWARE



## ROCOOK

It is the proposal created by CATA along with El Cellar de Can Roca to get your homes closer to the benefits of low-temperature cooking.

With low temperature we invite you to discover a cuisine friendly with the product, which seeks to enhance its organoleptic properties and, in turn, it is able to conserve much better nutritional properties and is very picky about food quality. We have been cooking at low temperature for thousands of years, but the current novelty is based on technological development that offers precision and control to understand the processes and always get excellent results.

*Thus, ROCOOK arose, as a project to explain what is the low temperature, how to cook with it and offers you recipes and ideas to put them in practice. We have designed together with the Cata and Lékúé R & D department, equipment and utensils to make this adventure at home possible, easy and convenient.*

**Joan Roca**



**ROCOKOOK: Cela est la proposition créée par CATA avec El Cellar de Can Roca pour rapprocher à vos foyers les avantages de la cuisson à basse température.**

À basse température, nous vous invitons à découvrir une cuisine très respectueuse avec le produit, qui cherche à surélever ses propriétés organoleptiques et, en même temps, elle est capable de conserver beaucoup mieux ses propriétés nutritionnelles et est très exigeante avec la qualité des aliments. On a cuisiné à basse température depuis des milliers d'années, la nouveauté actuelle est basée sur le développement technologique qui offre une précision et un contrôle pour comprendre les processus et toujours obtenir d'excellents résultats.

Ainsi apparut ROCOOK, un projet visant à expliquer ce qui est la basse température, comment se cuisine avec elle et vous propose des recettes et des idées pour les mettre en pratique. Nous avons conçu conjointement avec la R & D de Cata et de Lékúé, l'équipe et les ustensiles pour faire de cette aventure à la maison possible, facile et pratique. - **Joan Roca**

### Qu'est que c'est ROCOOK Induction

ROCOKOOK Induction est une plaque de cuisson à induction conçue par Cata pour cuisiner avec un contrôle précis de la température. Grâce à un capteur pour le milieu de cuisson et une sonde à l'intérieur du cœur pour l'aliment, on obtient la saveur et la texture optimale dans chaque recette.

Il permet également cuisiner en utilisant des niveaux de puissance, ce qui en fait une solution très polyvalente. Il peut être utilisé de manière très intuitive avec le contrôle tactile et il comprend des recettes de El Cellar de Can Roca et des cours de formation en ligne pour profiter au mieux de cette expérience.

ROCOKOOK Induction a un rendement énergétique élevé et est pratique à garder et à transporter.

### SES AVANTAGES

**Cuissons précises.** L'avantage le plus évident de la cuisson à basse température est la précision avec laquelle nous pouvons cuire en contrôlant le temps et la température (T&T).

**Textures splendides.** Un des aspects les plus frappants est le genre de textures que nous pouvons obtenir. Les viandes deviennent plus moelleuses, les légumes juteux et les poissons presque peuvent être mangés avec une cuillère. Merci à la cuisson douce, les aliments conservent mieux leur jus et la viande s'attendrit sans perdre ses saveurs originales.

**Saveurs authentiques et des aliments sains.** La basse température préserve les qualités nutritionnelles des aliments, car elle empêche les nutriments plus sensibles aux températures élevées.



## What is ROCOOK Induction

**ROCOOK** Induction is an induction hob designed by Cata to cook with **precise temperature control**.

Thanks to a sensor for the cooking medium and a probe inside the heart for food, we get **the optimal flavour and texture in each recipe**.

It also allows to cook using power levels, making it a very versatile solution. It can be used in a very intuitive way with touch control and there are included recipes from **El Celler de Can Roca** and online training courses to make the most of this experience.

**ROCOOK** Induction has **high energy efficiency** and is **convenient to store and transport**.

## ITS BENEFITS

### Accurate cooking

The most obvious advantage of the low-temperature cooking is the accuracy with which we can cook by controlling the time and temperature (T&T).

### Splendid textures

One of the most striking aspects is the kind of textures we can get. Meats become more mellow, vegetables juicier and fish can almost be eaten with a spoon. Thanks to the gentle cooking, food retain in a better way their juices and it is achieved to soften the meat without losing its original flavours.

### Genuine flavours and healthy foods

The low temperature preserves the nutritional qualities of food because it prevents the loss of more sensitive nutrients at high temperatures.



ROCOOK INDUCTION BK  
 Cod. **08003400** EAN **8422248068307**

- ☐ ROCOOK Induction black hob
  - Cooking area of ø 230 mm
  - Bluetooth 4.0 (link with temperature sensor)
  - Power: 2 kW
  - Weight: 3.7 kg
  - Product measurements: 295x365x64 mm
- ☐ Temperature sensor
- ☐ Adapter for shallow pans
- ☐ European plug (type F)



ROCOOK INDUCTION GR  
 Cod. **08003300** EAN **8422248069458**

- ☐ ROCOOK Induction grey hob
  - Cooking area of ø 230 mm
  - Bluetooth 4.0 (link with temperature sensor)
  - Power: 2 kW
  - Weight: 3.7 kg
  - Product measurements: 295x365x64 mm
- ☐ Temperature sensor
- ☐ Adapter for shallow pans
- ☐ European plug (type F)



ROCOOK ADVANCED KIT EN GR  
 Cod. **08007305** EAN **8422248070775**

- ☐ ROCOOK Induction grey hob
  - Cooking area of ø 230 mm
  - Bluetooth 4.0 (link with temperature sensor)
  - Power: 2 kW
  - Weight: 3.7 kg
  - Product measurements: 295x365x64 mm
- ☐ Temperature sensor
- ☐ Core temperature probe
- ☐ Vacuum pump
- ☐ Bag for sensors
- ☐ Sous-vide cooking bags 21x22
- ☐ Sous-vide cooking bags 25.5x28
- ☐ 3 bag clips
- ☐ Adapter for shallow pans
- ☐ Cooking mesh
- ☐ Adaptable suction lid ø 320 mm
- ☐ Steamer ø 220 mm
- ☐ "Firts Steps" course
- ☐ "Beyond the basics" course
- ☐ Book "Cooking with Joan Roca at low temperatures"
- ☐ European plug (type F)







Cook at home as a real Chef!

## PRO family

CATA offers the PRO family, which brings all the advantages of cooking at a low temperature to the countersink range, without the need for more appliances in its kitchen.

By controlling the temperature and cooking time, softer textures are obtained and all the flavour and nutritional properties of the foods are preserved.

In addition to the traditional cooking system for power levels, you can choose between two cooking modes for temperature control:

- ◉ **Precise mode:** Direct and precise control through the external sensor Cod. 15100621 (optional). It allows to select the temperature in a range of 40°C to 180°C, at intervals of 1°C.
- ◉ **Fast Mode:** Indirect control through the sensor located beneath each of the cooking zones. It allows to select the temperature in a range of 40°C to 100°C, at intervals of 10°C.
- ◉ The tactile control with **5-inch TFT** screen offers intuitive and pleasant handling. It also has a hundred baking charts and recipes that will allow you to access the secrets of El Celler de Can Roca.



### Cuisinez à la maison comme un vrai chef !

#### Famille PRO

CATA propose la famille PRO, qui apporte tous les avantages de la cuisson à basse température à la cuisinière encastrable, sans avoir besoin de plus d'appareils dans votre cuisine. En contrôlant la température et le temps de cuisson, on obtient des textures plus douces et toutes les propriétés gustatives et nutritionnelles de l'aliment sont préservées.

En plus du système traditionnel de cuisson par niveaux de puissance, vous pouvez choisir entre deux modes de cuisson par contrôle de température :

**Mode précis :** Commande directe et précise par capteur externe Cod. 15100621 (facultatif). Il permet de sélectionner la température dans une plage de 40°C à 180°C, à des intervalles de 1°C.

**Mode rapide :** Contrôle indirect par le capteur situé sous chacune des zones de cuisson. Il permet de sélectionner la température dans une plage de 40°C à 100°C, à des intervalles de 10°C.

La commande tactile avec écran TFT de 5 pouces offre une utilisation intuitive et agréable. Il dispose également d'une centaine de tables de cuisson et de recettes qui vous permettront d'accéder aux secrets de **El Celler de Can Roca**.

## Connectivity

For the end user comfort and security CATA offers two types of connectivity between hob and hood:

### AUTO connectivity



The hood's suction power always adjusts automatically to the cooking needs. Available on INSB 6032 BK model.

### PRO connectivity



In addition to the automatic control of the hood, it allows you to manually choose the suction power from the same control on the plate. Available on all models in the PRO family.

## Flex areas

CATA has up to nine models with **modular zones** that extend the cooking zone allowing you to cook with rectangular or oval containers. The shape and size are no longer a problem.

## Giant 32cm zone

CATA presents the new INSB 6032 BK model with a 32cm diameter area for the largest containers.

## Independent Slider Touch Control

CATA extends the range of models with independent slider. This way, the ease of handling of the slider control and the rapidity of the independent control by zone are united. This control offers the Pause function as well as three cooking functions:

- ◉ **Melt / Thaw**
- ◉ **Warm / Keep warm**
- ◉ **Low heat boiling**

## Continuous power regulation

Whatever the power level chosen, it remains stable and uninterrupted throughout the cooking process. Available on INSB 6032 BK and on all models in the GIGA family.

### Connectivité

CATA met à votre disposition le confort et la sécurité qu'offrent ses deux types de connectivité entre plaque et hotte. **Connectivité AUTO:** Réglage automatique de la puissance d'aspiration de la hotte selon besoins de cuisson à tout moment. Disponible sur le modèle INSB 6032 BK. **Connectivité PRO:** En plus du contrôle automatique de la hotte, il vous permet de choisir manuellement la puissance d'aspiration avec le même écran tactile sur la plaque. Disponible sur tous les modèles de la famille PRO.

### Zones de flexibilité

CATA propose jusqu'à neuf modèles avec des zones modulaires qui étendent la surface de cuisson et vous permettent de cuisiner avec des récipients rectangulaires ou ovales. La forme et la taille ne sont plus un problème.

### Zone géante de 32 cm

CATA présente le nouveau modèle INSB 6032 BK avec une zone de 32 cm de diamètre pour les plus grands conteneurs.




## Reliability

- ◉ Enamelled cast iron supports for better cooking stability and ease of cooking. Integral that allows the sliding of the kitchen pots without having to lift them.
- ◉ Square support that improves stability with any type of utensil and even if we move it.
- ◉ Safety valve and automatic ignition system for all burners of all models.

## Models for reduced depths

CATA offers a special range for the replacement in low-kitchens. Available in both high light hob (TT 5003) and glass gas (CCI 5003 BK).

Minimum distance between the socket hole and any rear or side wall




Check the cut out measurements for each model.

## Installation for induction and high light hobs

CATA induction and high light hobs are easily installed. Following the ventilation instructions, a proper operation and long product life is guaranteed.

### Installation diagram for induction hobs



### Minimum distances for the correct ventilation

#### Commande de coulisseau indépendante

CATA élargit la gamme de modèles avec un contrôle indépendant des glissières. De cette façon, la facilité d'utilisation de la commande à glissière et la vitesse de la commande de zone indépendante sont combinées. Cette commande offre la fonction Pause ainsi que trois fonctions de cuisson :

- Fusion / Dégivrage
- Chauffage / Maintien au chaud
- Porter à ébullition

#### Régulation continue de la puissance

Quel que soit le niveau de puissance choisi, il reste stable et ininterrompu tout au long du processus de cuisson. Disponible sur INSB 6032 BK et sur tous les modèles de la famille GIGA.

#### Fiabilité

Supports en fonte émaillée pour une meilleure stabilité de la maison et une cuisson plus facile. Intégrale qui permet le coulissement de la vaisselle sans avoir à soulever la casserole.

Support carré qui améliore la stabilité avec n'importe quel type de ménage et même si nous le déplaçons.

Soupape de sécurité et système d'allumage automatique pour tous les brûleurs de tous les modèles.

#### Modèles pour fond réduit

CATA offre une gamme spéciale pour le réapprovisionnement dans les cuisines à fond réduit. Disponible en vitrocéramique (TT 5003), comme dans le gaz de verre (CCI 5003 BK).

#### Installation pour tables de cuisson à induction et à vitrocéramique

Les tables de cuisson à induction CATA et les tables de cuisson à haut rendement sont faciles à installer. En suivant les instructions de ventilation, un fonctionnement correct et une longue durée de vie du produit sont garantis.



## IDF 9012 PRO BK

Free Zone Induction

Giant Area



IDF 9012 PRO BK

Cod. **08024202** EAN **8422248079631**

### 5 cooking areas:

Front Right: 1 area **with Booster function** of 210 x 200mm of 2kW (max. 2.8kW)Rear Right: 1 area **with Booster function** of 210 x 200mm of 1.5kW (max. 2kW)Center: 1 area **with Booster function** of Ø300mm of 2.3kW (max. 3kW)Front Left: 1 area **with Booster function** of 210 x 200mm of 1.5kW (max. 2kW)Rear Left: 1 area **with Booster function** of 210 x 200mm of 2kW (max. 2.8kW)**2 modular areas with Booster function** of 210x400mm of 3kW (max. 3.5kW)

### 5" TFT touch control

#### Temperature control functions Fast & Precise (40°C-180°C)

#### Access to "El Celler de Can Roca" recipes

#### Low temperature cooking tables of "El Celler de Can Roca"

#### 9 adjustable power levels + Booster

#### PRO connectivity for full control of the CATA PRO hoods

#### Pause Function

#### Timer function for each area

#### Countdown alarm

#### Automatic pan detection

#### Safety lock

#### Residual heat indicator

#### Automatic safety switch-off

#### Frontal bevel



#### 90 cm wide

#### Total power 9kW (limitable)


#### Accessories (not included)

Sensor for low-temperature cooking ..... Cod. 15100621 / EAN 8422248072038

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563







## IDF 8021 PRO BK

Free Zone Induction

Giant Area



IDF 8021 PRO BK

Cod. **08081206** EAN **8422248079648**

### 4 cooking areas:

Front Right: 1 area **with Booster function** of Ø180mm of 1.2kW (max. 1.5kW)

Center: 1 area **with Booster function** of Ø300mm of 2.3kW (max. 3kW)

Front Left: 1 area **with Booster function** of 210 x 200mm of 1.5kW (max. 2kW)

Rear Left: 1 area **with Booster function** of 210 x 200mm of 2kW (max. 2.8kW)

 **1 modular area with Booster function** of 210x400mm of 3kW (max. 3.5kW)

### 5" TFT touch control

☐ **Temperature control functions Fast & Precise (40°C-180°C)**

☐ **Access to "El Celler de Can Roca" recipes**

☐ Low temperature cooking tables of "El Celler de Can Roca"

☐ 9 adjustable power levels + Booster

☐ PRO connectivity for full control of the CATA PRO hoods

☐ Pause Function

☐ Timer function for each area

☐ Countdown alarm

☐ Automatic pan detection

☐ Safety lock

☐ Residual heat indicator

☐ Automatic safety switch-off

☐ **Frontal bevel**


☐ **80 cm wide**

☐ **Total power 7.2kW (limitable)**

### ► Accessories (not included)

Sensor for low-temperature cooking ..... Cod. 15100621 / EAN 8422248072038

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563







## IDB 6003 PRO BK

Giant Area





IDB 6003 PRO BK


Cod. **08063102** EAN **8422248077675**

- ❑ **3 cooking areas:**
  - Right: 1 area **with Booster function** of Ø300mm of 2.3kW (max. 3kW)
  - Front Left: 1 area **with Booster function** of Ø230mm of 2.3kW (max. 2.6kW)
  - Rear Left: 1 area **with Booster function** of Ø180mm of 1.2kW (max. 1.5kW)
- ❑ **5" TFT touch control**
- ❑ **Temperature control functions Fast & Precise (40°C-180°C)**
- ❑ **Access to "El Celler de Can Roca" recipes**
- ❑ Low temperature cooking tables of "El Celler de Can Roca"
- ❑ 9 adjustable power levels + Booster
- ❑ PRO connectivity for full control of the CATA PRO hoods
- ❑ Pause Function
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Frontal bevel**
- ❑ **59 cm wide**
- ❑ **Total power 7.1kW (limitable)**

► **Accessories (not included)**

Sensor for low-temperature cooking ..... Cod. 15100621 / EAN 8422248072038





## GIGA 750 BK

Free Zone Induction  
Giant Area

Continuous power  
regulation



GIGA 750 BK

Cod. **08026001** EAN **8422248054485**

### 6 cooking areas:

- Front Right: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)
- Rear Right: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)
- Front Center: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)
- Rear Center: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)
- Front Left: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)
- Rear Left: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)


### 3 modular areas of 237x378mm of 3.7kW


### 1 modular giant area measuring Ø400 mm

- Continuous power regulation
- Slider Touch Control for each area
- It has three temperature functions:  
 Melting / Defrosting (42°C)  
 Heating / Keeping warm (70°C)  
 Simmering (94°C)
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Intelligent pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- Frontal bevel
- 77 cm wide
- Total power 11kW

### Accessories (not included)

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563





## GIGA 600 BK

Free Zone Induction  
 Giant Area

Continuous power  
 regulation



GIGA 600 BK

Cod. **08026002** EAN **8422248059190**

### 4 cooking areas:

Front Right: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)  
 Rear Right: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)  
 Front Left: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)  
 Rear Left: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)


### 2 modular areas of 237x378mm of 3.7kW


1 modular **giant area** measuring **Ø400 mm**

- ☐ Continuous power regulation
- ☐ Slider Touch Control for each area
- ☐ It has three temperature functions:
  - Melting / Defrosting (42°C)**
  - Heating / Keeping warm (70°C)**
  - Simmering (94°C)**
- ☐ 9 adjustable power levels + Booster
- ☐ Timer function for each area
- ☐ Countdown alarm
- ☐ Intelligent pan detection
- ☐ Safety lock
- ☐ Residual heat indicator
- ☐ Automatic safety switch-off
- ☐ **Frontal bevel**
- ☐ **59 cm wide**
- ☐ **Total power 7.4kW**

### ► Accessories (not included)

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563





## GIGA 600 WH

Free Zone Induction  
Giant Area

Continuous power  
regulation



GIGA 600 WH

Cod. **08026003** EAN **8422248059206**

### 4 cooking areas:

Front Right: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)

Rear Right: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)

Front Left: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)

Rear Left: 1 area **with Booster function** of 237x189mm of 2.1kW (max. 3.7kW)

2 modular areas of 237x378mm of 3.7kW

1 modular giant area measuring Ø400 mm

Continuous power regulation

Slider Touch Control for each area

It has three temperature functions:

Melting / Defrosting (42°C)

Heating / Keeping warm (70°C)

Simmering (94°C)

9 adjustable power levels + Booster

Timer function for each area

Countdown alarm

Intelligent pan detection

Safety lock

Residual heat indicator

Automatic safety switch-off


Frontal bevel

59 cm wide

Total power 7.4kW

### Accessories (not included)

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563





## SURFACE INTEGRATION

The **AS 750** is a compact, integrated vacuum firing solution that adds the advantages of a flexible induction plate with a surface extractor and with a high efficiency brushless motor.

**Island installation:** it creates a clear space without visual obstacles giving more breadth to the kitchen.

**Wall-mounted installation:** it offers the possibility of cooking in front of a window or of having additional upper cabinets to take advantage of the space that would occupy a traditional hood.

L'**AS 750** est une solution de cuisson compacte avec aspiration intégrée qui combine les avantages d'une plaque à induction flexible et d'un extracteur de surface sans brosse très efficace.

**Installation en îlot :** elle crée un espace ouvert sans obstacles visuels donnant plus d'espace à la cuisine.

**Installation murale :** elle offre la possibilité de cuisiner devant une fenêtre ou d'avoir des armoires supérieures supplémentaires pour profiter de l'espace qu'occuperait une hotte traditionnelle.

**FLEX ZONES:** MODULAR ZONES EXPANDING THE COOKING AREA PERMITTED TO COOK WITH RECTANGULAR OR OVALATED CONTAINERS.

**ZONES FLEX :** ZONES MODULAIRES QUI ÉTENDENT LA ZONE DE CUISSON EN VOUS PERMETTANT DE CUISINER AVEC DES RÉCIPIENTS RECTANGULAIRES OU OVALES.

ELIMINATION OF SMOKES AND SMELLS IN THE POINT OF ORIGIN.  
L'ÉLIMINATION DE LA FUMÉE ET DES ODEURS AU POINT D'ORIGINE.



EASY DISHWASHER CLEANING OF FILTERS, GRILL AND CLEAN-LIQUIDS TRAY.


NETTOYAGE FACILE DES FILTRES, DU GRIL ET DU BAC DE RÉCUPÉRATION DES LIQUIDES DANS LE LAVE-VAISSELLE.



CENTRALIZED CONTROLS OF THE HOB AND THE EXTRACTOR IN A SAME POINT FOR EASY USE.

COMMANDES CENTRALISÉES DE LA PLAQUE ET DE L'EXTRACTEUR AU MÊME ENDROIT POUR UNE UTILISATION FACILE.





BRUSHLESS motor

Inducción Free Zone

## AS 750



AS 750 2 flex induction

Cod. **08000400** EAN **8422248078283**

- ☐ Touch Control Panel with timer and cleaning filters indicator
- ☐ 5 extraction levels, 4 + 1 **TURBO**
- ☐ Extraction power (according to UNE/EN 61591): **650m³/h - 140m³/h**
- ☐ Maximum air flow (free outlet): **950m³/h**
- ☐ Airflow speed: 10 m/s
- ☐ Sound power (Reg.(EU) n°65/2014): **40dB(A)**, maximum: 64dB(A)
- ☐ BRUSHLESS motor. Ultra silent. Maximum energy consumption **130W**
- ☐ Easy-to-install system
- ☐ Dishwasher-washable filters
- ☐ Max. Pressure: 470 Pa
- ☐ 150 mm outlet diameter
- ☐ Energy Class: **A**

### ► Accessories (not included)

Recirculating kit Socket AS750 / Kit de recirculation Socket AS750 .....Cod. 02800939 / EAN 8422248080330 .....

Filter replacement kit washable active carbon / Kit de remplacement de filtre charbon actif lavable

.....Cod. 02800937 / EAN 8422248078900 .....

### ☐ 4 cooking areas:



Front Right: 1 area **with Booster function** of 215mm x 190mm of 1.6 kW (max. 1.85kW)Rear Right: 1 area **with Booster function** of 215mm x 190mm of 2.1 kW (max. 3kW)Front Left: 1 area **with Booster function** of 215mm x 190mm of 1.6 kW (max. 1.85kW)Rear Left: 1 area **with Booster function** of 215mm x 190mm of 2.1 kW (max. 3kW)

### ☐ 2 modular double areas measuring 215mm x 380mm of 3.7kW



- ☐ Slider Touch Control with acoustic warning
- ☐ 9 adjustable power levels + Booster
- ☐ Timer function for each area
- ☐ Countdown alarm
- ☐ Automatic pan detection
- ☐ Safety lock
- ☐ Residual heat indicator
- ☐ Automatic safety switch-off
- ☐ Frontal bevel
- ☐ 77 cm wide
- ☐ Total power (induction + extraction) **7.53kW**

### ► Accessories (not included)

Barbecue grill .....Cod. 03017400 / EAN 8422248082563



**Plinth recirculating kit AS750**  
Cod. 02800939  
EAN 8422248080330



## INSB 9012 BK

Induction Free Zone  
Giant Zone



INSB 9012 BK

Cod. **08024401** EAN **8422248082037**

### 5 cooking areas:

- Front Right: 1 area **with Booster function** of 210 x 200mm of 2kW (max. 2.8kW)
- Rear Right: 1 area **with Booster function** of 210 x 200mm of 1.5kW (max. 2kW)
- Center: 1 area **with Booster function** of Ø300mm of 2.3kW (max. 3kW)
- Front Left: 1 area **with Booster function** of 210 x 200mm of 1.5kW (max. 2kW)
- Rear Left: 1 area **with Booster function** of 210 x 200mm of 2kW (max. 2.8kW)



2 modular areas with **Booster function** of 210x400mm of 3kW (max. 3.5kW)

### Slider Touch Control for each area

### It has three temperature functions:

- Melting / Defrosting (45-55°C)
- Heating / Keeping warm (65-70°C)
- Simmering (85-95°C)

### 9 adjustable power levels + Booster

- Pause Function
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- Frontal bevel
- 90 cm wide
- Total power 9kW



### Accessories (not included)

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563

## INSB 8021 BK

Induction Free Zone  
Giant Zone



INSB 8021 BK

Cod. **08081400** EAN **8422248082020**

### 4 cooking areas:

- Front Right: 1 area **with Booster function** of Ø180mm of 1.2kW (max. 1.5kW)
- Center: 1 area **with Booster function** of Ø300mm of 2.3kW (max. 3kW)
- Front Left: 1 area **with Booster function** of 210 x 200mm of 1.5kW (max. 2kW)
- Rear Left: 1 area **with Booster function** of 210 x 200mm of 2kW (max. 2.8kW)
- 1 modular areas with **Booster function** of 210x400mm of 3kW (max. 3.5kW)



### Slider Touch Control for each area

### It has three temperature functions:

- Melting / Defrosting (45-55°C)
- Heating / Keeping warm (65-70°C)
- Simmering (85-95°C)



### 9 adjustable power levels + Booster



- Pause Function
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- Frontal bevel
- 80 cm wide
- Total power 7.2kW



### Accessories (not included)

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563





## INSB 6003 BK

Giant Zone



INSB 6003 BK

Cod. **08063103** EAN **8422248079518**

- ❑ **3 cooking areas:**  
Right: 1 area **with Booster function** of Ø300mm of 2.3kW (max. 3kW)  
Front Left: 1 area **with Booster function** of Ø230mm of 2.3kW (max. 2.6kW)  
Rear Left: 1 area **with Booster function** of Ø180mm of 1.2kW (max. 1.5kW)
- ❑ **Slider Touch Control for each area**
- ❑ It has three **temperature functions**:  
**Melting / Defrosting (45-55°C)**  
**Heating / Keeping warm (65-70°C)**  
**Simmering (85-95°C)**
- ❑ 9 adjustable power levels + Booster
- ❑ Pause Function
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Frontal bevel**
- ❑ **59 cm wide**
- ❑ **Total power 7.1kW**

## IF 6011 BK

Induction Free Zone



IF 6011 BK



Cod. **08073009** EAN **8422248069823**

- ❑ **3 cooking areas:**  
Right: 1 area **with Booster function** of ø270mm of 2.3 kW (max. 3kW)  
Front Left: 1 area **with Booster function** of 215 x 190mm of 1.6 kW (max. 1.85kW)  
Rear Left: 1 area **with Booster function** of 215 x 190mm of 2.1 kW (max. 3kW)
- ❑ **1 modular double area** measuring 215 x 380mm of 3.7kW
- ❑ **Slider Touch Control** with acoustic warning
- ❑ 9 adjustable power levels + Booster
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Frontal bevel**
- ❑ **59 cm wide**
- ❑ **Total power 6.7kW**




► **Accessories (not included)**

Barbecue grill ..... Cod. 03017400 / EAN 8422248082563



## INDUCTION HOBS



### INSB 6032 BK

Continuous power regulation  
Giant Zone



INSB 6032 BK  
Cod. **08063400** EAN **8422248093972**




### ISB 6130 BK





ISB 6130 BK  
Cod. **08073411** EAN **8422248084215**

- ❑ **3 cooking areas:**
  - Right: 1 **giant double area with Booster function** of  $\varnothing 320/190\text{mm}$  of 3/1.5kW (max. 3.6/1.8kW)
  - Front Left: 1 area **with Booster function** of  $\varnothing 210\text{mm}$  of 2.3kW (max. 2.6kW)
  - Rear Left: 1 area **with Booster function** of  $\varnothing 160\text{mm}$  of 1.2kW (max. 1.5kW)
- ❑ **Continuous power regulation**
- ❑ **Slider Touch Control** for each area
- ❑ It has three **temperature functions**:
  - Melting / Defrosting** (45-55°C)
  - Heating / Keeping warm** (65-70°C)
  - Simmering** (85-95°C)
- ❑ 9 adjustable power levels + Booster
- ❑ AUTO connectivity for automatic control of the CATA hoods
- ❑ Pause Function
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Frontal bevel**
- ❑ **63 cm** wide
- ❑ **Total power 7.1kW**



- ❑ **3 cooking areas:**
  - Right: 1 area **with Booster function** of  $\varnothing 270\text{mm}$  of 2.3kW (max. 3kW)
  - Front Left: 1 area **with Booster function** of  $\varnothing 220\text{mm}$  of 2.3kW (max. 3kW)
  - Rear Left: 1 area of  $\varnothing 180\text{mm}$  of 1.4kW
- ❑ **Hidden Slider Touch Control** with acoustic warning
- ❑ Keep warm function
- ❑ 9 adjustable power levels + Booster
- ❑ Pause function
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Frontal bevel**
- ❑ **59 cm** wide
- ❑ **Total power 6.7kW**





## ISB 603 BK



ISB 603 BK

Cod. **08073211** EAN **8422248055871**



## IB 6304 BK



IB 6304 BK

Cod. **08040102** EAN **8422248077644**

### 3 cooking areas:



- Right: 1 area **with Booster function** of  $\varnothing 270$ mm of 2.3kW (max. 3kW)
- Front Left: 1 area **with Booster function** of  $\varnothing 220$ mm of 2.3kW (max. 3kW)
- Rear Left: 1 area of  $\varnothing 180$ mm of 1.4kW.

- ☐ **Slider Touch Control** with acoustic warning
- ☐ 9 adjustable power levels + Booster
- ☐ Timer function for each area
- ☐ Countdown alarm
- ☐ Automatic pan detection
- ☐ Safety lock
- ☐ Residual heat indicator
- ☐ Automatic safety switch-off
- ☐ **Frontal bevel**
- ☐ **59 cm wide**
- ☐ **Total power 6.7kW**

### 4 cooking areas:


- Front Right: 1 area **with Booster function** of  $\varnothing 160$ mm of 1.2kW (max. 1.5kW)
- Rear Right: 1 area **with Booster function** of  $\varnothing 180$ mm of 1.8kW (max. 2.3kW)
- Front Left: 1 area **with Booster function** of  $\varnothing 210$ mm of 2kW (max. 2.3kW)
- Rear Left: 1 area **with Booster function** of  $\varnothing 160$ mm of 1.2kW (max. 1.5kW)

- ☐ Touch Control with acoustic warning
- ☐ 9 adjustable power levels + Booster
- ☐ Timer function for each area
- ☐ Countdown alarm
- ☐ Automatic pan detection
- ☐ Safety lock
- ☐ Residual heat indicator
- ☐ Automatic safety switch-off
- ☐ **59 cm wide**
- ☐ **Total power 7kW**





## INDUCTIONHOBS




### I 6104 BK



I 6104 BK

Cod. **08040101** EAN **8422248077637**



### IB 604 BK





IB 604 BK

Cod. **08074001** EAN **8422248059213**

- ❑ **4 cooking areas:**
  - Front Right: 1 area of Ø160mm of 1.2kW
  - Rear Right: 1 area of Ø180mm of 1.8kW
  - Front Left: 1 area of Ø210mm of 2kW
  - Rear Left: 1 area of Ø160mm of 1.2kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **59 cm wide**
- ❑ **Total power 6.2kW**

- ❑ **4 cooking areas:**
  - Front Right: 1 area Ø180mm of 1.4kW
  - Rear Right: 1 area **with Booster function** of Ø220mm of 1.85kW (max. 2.1kW)
  - Front Left: 1 area **with Booster function** of Ø180mm of 1.2kW (max. 1.4kW)
  - Rear Left: 1 area Ø180mm of 1.4kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels + Booster
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **59 cm wide**
- ❑ **Total power 6.3kW**





## IB 6030

Giant Double Area



IB 6030 BK

Cod. **08073100** EAN **8422248073561**

IB 6030 WH

Cod. **08073107** EAN **8422248075145**



## IB 6203



IB 6203 BK

Cod. **08073400** EAN **8422248078030**

IB 6203 WH

Cod. **08073108** EAN **8422248078047**

### 3 cooking areas:

Front Right: 1 area **with Booster function** of  $\varnothing 160$ mm of 1.2kW (max. 1.6kW)

Rear Right: 1 area **with Booster function** of  $\varnothing 200$ mm of 1.5kW (max. 2kW)

Left: 1 **giant double area with Booster function** of  $\varnothing 300/180$ mm of 2.7/1.5kW (max. 3.6/1.8kW)

### Independent Touch Control for each area

9 touch control adjustable power levels + Booster

Timer function for each area

Automatic pan detection

Safety lock

Residual heat indicator

Automatic safety switch-off

Frontal bevel

59 cm wide

Total power 7.2kW (limitable)



### 3 cooking areas:

Front Right: 1 area **with Booster function** of  $\varnothing 160$ mm of 1.2kW (max. 1.6kW)

Rear Right: 1 area **with Booster function** of  $\varnothing 200$ mm of 1.5kW (max. 2kW)

Left: 1 double area with **Booster function** of  $\varnothing 280/180$ mm of 2.7/1.5kW (max. 3.6/1.8kW)

### Independent Touch Control for each area

9 adjustable power levels + Booster

Timer function for each area

Automatic pan detection



Safety lock


Residual heat indicator

Automatic safety switch-off

59 cm wide

Total power 7.2kW (limitable)






## IB 6303 BK



IB 6303 BK

Cod. **08063101** EAN **8422248077668**



## IB 753 BK



IB 753 BK

Cod. **08081202** EAN **8422248054478**

### 3 cooking areas:



- Right: 1 area with **Booster function** of Ø280mm of 2.3kW (max. 3kW)
- Front Left: 1 area with **Booster function** of Ø210mm of 2.3kW (max. 2.6kW)
- Rear Left: 1 area with **Booster function** of Ø160mm of 1.2kW (max. 1.5kW)

- Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **59 cm** wide
- **Total power 7.1kW**

### 3 cooking areas:


- Right: 1 giant area with **Booster function** of Ø270mm of 2.3kW (max. 3kW)
- Centre: 1 area of Ø180mm of 1.4kW
- Left: 1 area with **Booster function** of Ø220mm of 2.3kW (max. 3kW)

- Touch Control with acoustic warning
- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **77 cm** wide
- **Total power 6.7kW**





IB 772



IB 0722 BK

## IB 772 / IB 0722 BK




IB 772

Cod. **08027205** EAN **8422248060189**

IB 0722 BK

Cod. **08027100** EAN **8422248075480**

- ❑ **2 cooking areas:**  
Right: 1 area **with Booster function** of ø200mm of 2.3kW (max. 3kW)  
Left: 1 giant area **with Booster function** of ø270mm of 2.3kW (max. 3kW)
- ❑ **Slider Touch Control** with acoustic warning
- ❑ 9 adjustable power levels + Booster
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Frontal bevel**
- ❑ **75 cm wide / 73 cm wide** (IB 0722)
- ❑ **Total power 6kW**




## IB 2 PLUS BK




IB 2 PLUS BK

Cod. **08027203** EAN **8422248055864**

- ❑ **2 cooking areas:**  
Right: 1 area of ø180mm of 1.4kW  
Left: 1 area **with Booster function** of ø220mm of 2.3kW (max. 3kW)
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels + Booster
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Frontal bevel**
- ❑ **59 cm wide**
- ❑ **Total power 3.7kW**







### IB 3102 BK



IB 3102 BK  
Cod. **08003206** EAN **8422248073783**

- ❑ **2 cooking areas:**  
Front: 1 area of  $\varnothing 180\text{mm}$  of 1.4kW  
Rear: 1 area **with Booster function** of  $\varnothing 220\text{mm}$  of 2.3kW (max. 3kW)
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels + Booster
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **30 cm** wide
- ❑ **Total power 3.7kW**





### IB 302 BK



IB 302 BK  
Cod. **08003203** EAN **8422248054461**

- ❑ **2 cooking areas:**  
Front: 1 area **with Booster function** of  $\varnothing 180\text{mm}$  of 1.4kW (max. 2kW)  
Rear: 1 area of  $\varnothing 180\text{mm}$  of 1.4kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels + Booster
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **30 cm** wide
- ❑ **Total power 3.5kW**




### ISB 3002 BK




ISB 3002 BK  
Cod. **08003204** EAN **8422248086875**

- ❑ **2 cooking areas:**  
Front: 1 area **with Booster function** of  $\varnothing 160\text{mm}$  of 1.2kW (max. 1.5kW)  
Rear: 1 area **with Booster function** of  $\varnothing 180\text{mm}$  of 2kW (max. 2.3kW)
- ❑ **Slider Touch Control** with acoustic warning
- ❑ 9 adjustable power levels + Booster
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **29cm** wide
- ❑ **Total power 3.5kW**








## IB 1822 BK



IB 1822 BK

Cod. **08027132** EAN **8422248088176**



## IB 073 BK



IB 073 BK

Cod. **08081100** EAN **8422248075473**

### 2 cooking areas:

Right: 1 area **with Booster function** of  $\varnothing 220\text{mm}$  of 1.5kW (max. 2kW)  
Left: 1 area **with Booster function** of  $\varnothing 220\text{mm}$  of 1.5kW (max. 2kW)

### Independent Touch Control for each area

- 9 adjustable power levels + Booster
- Timer function for each area
- Automatic pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off

### Frontal bevel

- 73 cm wide
- Total power 3.6kW

### 3 cooking areas:



Right: 1 giant area with **Booster function** of  $\varnothing 270\text{mm}$  of 2.3kW (max. 3kW)  
Centre: 1 area of  $\varnothing 180\text{mm}$  of 1.4kW  
Left: 1 area with **Booster function** of  $\varnothing 220\text{mm}$  of 2.3kW (max. 3kW)

### Slider Touch Control with acoustic warning

- 9 adjustable power levels + Booster
- Timer function for each area
- Countdown alarm
- Automatic pan detection
- Safety lock
- Residual heat indicator
- Automatic safety switch-off

### Frontal bevel

- 73 cm wide
- Total power 6.7kW





## TCD 772



TCD 772

Cod. **08079001** EAN **8422248059237**



## T 604





T 604

Cod. **08052206** EAN **8422248051828**

- ❑ **2 High Light cooking areas:**
  - Right: 1 area of  $\varnothing 180$ mm of 1.8kW
  - Left: 1 giant double area of  $\varnothing 270/210$ mm of 2.4/1.5kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels
- ❑ Safety Lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **77 cm wide**
- ❑ **Total power 4.2kW**

- ❑ **4 High Light cooking areas:**
  - Front Right: 1 area of  $\varnothing 180$ mm of 1.8kW
  - Rear Right: 1 area of  $\varnothing 140$ mm of 1.2kW
  - Front Left: 1 area of  $\varnothing 140$ mm of 1.2kW
  - Rear Left: 1 area of  $\varnothing 210$ mm of 2.3kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels
- ❑ Safety Lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **59 cm wide**
- ❑ **Total power 6.5kW**





## TN 604



TN 604

Cod. **08040010** EAN **8422248058285**



## 604 HVI

Mechanical Controls



604 HVI

Cod. **08072200** EAN **8422248023627**

### 4 High Light cooking areas:



Front Right: 1 area of  $\varnothing 180\text{mm}$  of 1.8kW  
 Rear Right: 1 area of  $\varnothing 140\text{mm}$  of 1.2kW  
 Front Left: 1 area of  $\varnothing 140\text{mm}$  of 1.2kW  
 Rear Left: 1 area of  $\varnothing 180\text{mm}$  of 1.8kW

- ☐ Touch Control with acoustic warning
- ☐ 9 adjustable power levels
- ☐ Safety Lock
- ☐ Residual heat indicator
- ☐ Automatic safety switch-off
- ☐ **59 cm wide**
- ☐ **Total power 6kW**

### 4 High Light cooking areas:

Front Right: 1 area of  $\varnothing 140\text{mm}$  of 1.2kW  
 Rear Right: 1 area of  $\varnothing 180\text{mm}$  of 1.8kW  
 Front Left: 1 area of  $\varnothing 180\text{mm}$  of 1.8kW  
 Rear Left: 1 area of  $\varnothing 140\text{mm}$  of 1.2kW

- ☐ Mechanical controls
- ☐ 6 adjustable power levels
- ☐ Residual heat indicator
- ☐ **59 cm wide**
- ☐ **Total power 6kW**






## TT 603

Giant Triple Area



TT 603

Cod. **08063007** EAN **8422248051910**



## TD 6003






TD 6003

Cod. **08063403** EAN **8422248094207**

- ❑ **3 High Light cooking areas:**
  - Front Right: 1 area of ø180mm of 1.8kW
  - Rear Right: 1 area of ø140mm de 1.2kW
  - Left: 1 **giant triple area** of ø270/210/140mm of 2.7/1.95/1.05kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **59 cm** wide
- ❑ **Total power 5.7kW**

- ❑ **3 High Light cooking areas:**
  - Front Right: 1 area of ø180mm of 1.8kW
  - Rear Right: 1 area of ø140mm of 1.2kW
  - Left: 1 **giant double area** of ø270/210mm of 2.4/1.5kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **59 cm** wide
- ❑ **Total power 5.4kW**





## TT 5003

Suitable for short  
depth cabinets



TT 5003

Cod. **08077000** EAN **8422248074162**

## TD 302





TD 302

Cod. **08060006** EAN **8422248051811**


- ❑ **3 High Light cooking areas:**  
Front Right: 1 area of  $\varnothing 180$ mm of 1.8kW  
Rear Right: 1 area of  $\varnothing 140$ mm of 1.2kW  
Left: **1 giant triple area** of  $\varnothing 270/210/140$ mm of 2.7/1.95/1.05kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Suitable for short depth cabinets (50cm)**
- ❑ **60 cm wide**
- ❑ **Total power 5.7kW**

- ❑ **2 High Light cooking areas:**  
Front: 1 area of  $\varnothing 140$ mm of 1.2kW  
Rear: **1 double area** of  $\varnothing 180/120$ mm of 1.7/0.7kW
- ❑ Touch Control with acoustic warning
- ❑ 9 adjustable power levels
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **30 cm wide**
- ❑ **Total power 2.9kW**





## HIGH LIGHT HOBS




### VI 302

2


VI 302

Cod. **08049005** EAN **8422248055857**

- ❑ **2 High Light cooking areas:**  
Front: 1 area of  $\varnothing 140\text{mm}$  of 1.2kW  
Rear: 1 area of  $\varnothing 180\text{mm}$  of 1.8kW
- ❑ Mechanical control
- ❑ 6 adjustable power levels
- ❑ Residual heat indicator
- ❑ **30 cm** wide
- ❑ **Total power 3kW**



## INDUCTION+HIGH LIGHT MIXED



### IT 773

3

27cm

Touch Control

Timer


Lock



Residual Heat Indicator

IT 773

Cod. **08062205** EAN **8422248060196**

- ❑ **3 cooking areas:**  
Right: 1 **induction area with Booster function** of  $\varnothing 220\text{mm}$  of 2.3kW (max. 3kW)  
Centre: 1 **induction area** of  $\varnothing 180\text{mm}$  of 1.4kW  
Left: 1 **giant triple high light area** of  $\varnothing 270/210/145\text{mm}$  of 2.7/1.95/1.05kW
- ❑ **Slider Touch Control** with acoustic warning
- ❑ 9 adjustable power levels + Booster
- ❑ Timer function for each area
- ❑ Countdown alarm
- ❑ Automatic pan detection (induction areas)
- ❑ Safety lock
- ❑ Residual heat indicator
- ❑ Automatic safety switch-off
- ❑ **Frontal bevel**
- ❑ **75 cm** wide
- ❑ **Total power 6.4kW**





## IT 7002 BK



IT 7002 BK

Cod. **08079202** EAN **8422248073592**

## MVG 604



MVG 604

Cod. **08007200** EAN **8422248063098**

### 2 cooking areas:

Right: 1 **induction area with Booster function** of  $\varnothing 220$ mm of 2.3kW (max. 3kW)  
Left: 1 **giant double high light area** of  $\varnothing 270/210$ mm of 2.4/1.5kW

- ☐ **Slider Touch Control** with acoustic warning
- ☐ 9 adjustable power levels + Booster
- ☐ Timer function for each area
- ☐ Countdown alarm
- ☐ Automatic pan detection (induction areas)
- ☐ Safety lock
- ☐ Residual heat indicator
- ☐ Automatic safety switch-off
- ☐ **Frontal bevel**
- ☐ **77 cm wide**
- ☐ **Total power 5.4kW**



### 1 High Light cooking areas:

Rear Left: 1 area  $\varnothing 140$ mm, 1.2kW

### 3 Gas Burners:


Front Right: Small burner of 0.88kW  
Rear Right: Middle burner of 1.78kW  
Front Left: Big burner of 3kW

- ☐ Gas burners with FDD safety
- ☐ Mechanical control
- ☐ Adjustable power levels
- ☐ **59 cm wide**
- ☐ **Total Gas power 5.66kW**
- ☐ **Total Electric power 1.2kW**
- ☐ Black vitroceramic surface
- ☐ Finished in black glass
- ☐ Gas conversion set included



## GAS-ON-GLASS HOBS

NEW




### LCI 9041 BK



LCI 9041 BK  
Cod. **08005404** EAN **8422248081924**

NEW





### L 7005 CI




L 7005 CI  
Cod. **08046410** EAN **8422248081962**

- ❑ **5 gas burners:**
  - Rear Left: 1 semi-fast of 1.75kW
  - Front Left: 1 semi-fast of 1.75kW
  - Center: 1 **triple ring** of 3.5kW
  - Rear Right: 1 fast of 3kW
  - Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **87cm** wide
- ❑ **Total Power 11KW**

- ❑ **5 gas burners:**
  - Rear Left: 1 auxiliary of 1kW
  - Front Left: 1 semi-fast of 1.75kW
  - Center: 1 **triple ring** of 3.5kW
  - Rear Right: 1 fast of 3kW
  - Front Right: 1 semi-fast of 1.75kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **70cm** wide with 60cm built in cut out
- ❑ **Total Power 11KW**






## LCI 6031 WH

Same built in size,  
wider surface!



LCI 6031 WH

Cod. **08041100** EAN **8422248072557**



## LCI 6031 BK

Same built in size,  
wider surface!





LCI 6031 BK

Cod. **08041500** EAN **8422248072724**

- ❑ **4 gas burners:**
  - Rear: 1 fast of 3kW
  - Front: 1 semi-fast of 1.75kW
  - Right: 1 **triple ring** of 3.5kW
  - Left: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear left
- ❑ LPG nozzles included in the box
- ❑ **64cm** wide with 60cm built in cut out
- ❑ Total Power **9,25kW**

- ❑ **4 gas burners:**
  - Rear: 1 fast of 3kW
  - Front: 1 semi-fast of 1.75kW
  - Right: 1 **triple ring** of 3.5kW
  - Left: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear left
- ❑ LPG nozzles included in the box
- ❑ **64cm** wide with 60cm built in cut out
- ❑ Total Power **9,25kW**




## GAS-ON-GLASS HOBS



### CCI 6031 BK



CCI 6031 BK  
Cod. **08041501** EAN **8422248073691**




### CI 631 BK




CI 631 BK  
Cod. **08041412** EAN **8422248058681**


- ❑ **4 gas burners:**
  - Rear Left: 1 semi-fast of 1.75kW
  - Front Left: 1 **triple ring** of 3.5kW
  - Rear Right: 1 semi-fast of 1.75kW
  - Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear left
- ❑ LPG nozzles included in the box
- ❑ **59 cm** wide
- ❑ **Total power 8kW**



- ❑ **4 gas burners:**
  - Rear Left: 1 semi-fast of 1.75kW
  - Front Left: 1 **triple ring** of 3.5kW
  - Rear Right: 1 semi-fast of 1.75kW
  - Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Enamelled** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **59 cm** wide
- ❑ **Total power 8kW**








## LCI 6021 BK




LCI 6021 BK

Cod. **08068401** EAN **8422248068376**

- ❑ **3 gas burners:**
  - Left: 1 **triple ring** of 3.5kW
  - Rear Right: 1 semi-fast of 1.75kW
  - Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear left
- ❑ LPG nozzles included in the box
- ❑ **59 cm** wide
- ❑ **Total power 6.25kW**



## GAS-ON-GLASS HOBS



### SCI 6021 BK



SCI 6021 BK  
Cod. **08068405** EAN **8422248086929**




### CCI 6021 BK





CCI 6021 BK  
Cod. **08068501** EAN **8422248073707**

- ❑ **3 gas burners:**
  - Left: 1 **triple ring** of 3.5kW
  - Rear Right: 1 semi-fast of 1.75kW
  - Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear left
- ❑ LPG nozzles included in the box
- ❑ **59 cm** wide
- ❑ **Total power 6.25kW**



- ❑ **3 gas burners:**
  - Left: 1 **triple ring** of 3.5kW
  - Rear Right: 1 semi-fast of 1.75kW
  - Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear left
- ❑ LPG nozzles included in the box
- ❑ **59 cm** wide
- ❑ **Total power 6.25kW**






## CI 6021 BK




CI 6021 BK

Cod. **08068309** EAN **8422248067355**

- ❑ **3 gas burners:**
  - Left: 1 **triple ring** of 3.5kW
  - Rear Right: 1 semi-fast of 1.75kW
  - Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Enamelled** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **59 cm** wide
- ❑ **Total power 6.25kW**



## GAS-ON-GLASS HOBS




### SCI 3002 BK



SCI 3002 BK  
Cod. **08047410** EAN **8422248093743**

- ❑ 2 gas burners:  
Rear: 1 fast of 3kW  
Front: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **30cm** wide
- ❑ **Total Power 4kW**





### RCI 631



RCI 631 WH  
Cod. **08028003** EAN **8422248058674**

RCI 631 BK  
Cod. **08028403** EAN **8422248055024**

- ❑ **4 gas burners:**  
Rear Left: 1 **triple ring** of 3.5kW  
Front Left: 1 semi-fast of 1.75kW  
Rear Right: 1 semi-fast of 1.75kW  
Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **58 cm** wide
- ❑ **Total power 8kW**





## STAINLESS STEEL GAS HOBS




## LGI 9041 X



LGI 9041 X

Cod. **08005350** EAN **8422248081948**

- ❑ **5 gas burners:**
  - Rear Left: 1 fast of 3kW
  - Front Left: 1 semi-fast of 1.75kW
  - Center: 1 **triple ring** of 3.5kW
  - Rear Right: 1 semi-fast of 1.75kW
  - Front Right: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear left
- ❑ LPG nozzles included in the box
- ❑ **85cm** wide
- ❑ **Total Power 11KW**





## STAINLESS STEEL GAS HOBS



### LGI 7041 X



LGI 7041 X

Cod. **08045302** EAN **8422248074612**



### LGD 631 X





LGD 631 X

Cod. **08066002** EAN **8422248058735**

- ❑ **5 gas burners:**
  - Rear Left: 1 Semi-fast 1,75 kW
  - Front Left: 1 auxiliary 1 kW
  - Centre: 1 **triple ring**, 3,5kW
  - Rear Right: 1 fast 3 kW
  - Front Right: 1 semi-fast, 1,75kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **68 cm wide built in 60 cm**
- ❑ **Total Power 11kW**

- ❑ **4 gas burners:**
  - Rear: 1 semi-fast, 1,75kW
  - Front: 1 auxiliary, 1kW
  - Right: 1 **triple ring**, 3,5kW
  - Left: 1 fast, 3kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Cast Iron** Grids/burners
- ❑ Suitable for **city gas**
- ❑ Gas inlet position: rear left
- ❑ LPG nozzles included in the box
- ❑ **58 cm wide**
- ❑ **Total Power 9.25kW**



## STAINLESS STEEL GAS HOBS



## GI 6031 X



GI 6031 X

Cod. **08066011** EAN **8422248067331**

## GI 6004 X



GI 6004 X

Cod. **08066600** EAN **8422248067775**

4 gas burners:



Rear Left: 1 semi-fast, 1.75kW  
 Front Left: 1 **triple ring** of 3.5kW  
 Rear Right: 1 semi-fast, 1.75kW  
 Front Right: 1 auxiliary, 1kW

- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled** Grids/burners
- Suitable for city gas
- Gas inlet position: rear right
- LPG nozzles included in the box
- 58 cm** wide
- Total power 8kW**

4 gas burners:

Rear Left: 1 semi-fast, 1.75kW  
 Front Left: 1 fast, 3kW  
 Rear Right: 1 semi-fast, 1.75kW  
 Front Right: 1 auxiliary, 1kW

- One hand automatic ignition
- Flame failure gas cut off safety system
- Enamelled** Grids/burners
- Suitable for city gas
- Gas inlet position: rear right
- LPG nozzles included in the box
- 58 cm** wide
- Total power 7.5kW**



## STAINLESS STEEL GAS HOBS




### GI 6021 X



GI 6021 X

Cod. **08068308** EAN **8422248067348**

- ❑ **3 gas burners:**  
Left: 1 **triple ring**, 3.5kW  
Rear: 1 semi-fast, 1.75kW  
Front: 1 auxiliary, 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Enamelled** Grids/burners
- ❑ Suitable for city gas
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **58 cm** wide
- ❑ **Total power 6.25kW**




### GI 3002 X



GI 3002 X

Cod. **08039312** EAN **8422248081931**

- ❑ **2 gas burners:**  
Rear: 1 fast of 3kW  
Front: 1 auxiliary of 1kW
- ❑ One hand automatic ignition
- ❑ Flame failure gas cut off safety system
- ❑ **Enamelled** Grids/burners
- ❑ Suitable for city gas
- ❑ Gas inlet position: rear right
- ❑ LPG nozzles included in the box
- ❑ **30cm** wide
- ❑ **Total Power 4kW**









## SET NEW YORK



SET NEW YORK

Cod. **03000005** EAN **8422248080583**



## SET PROFESSIONAL



SET PROFESSIONAL

Cod. **03000006** EAN **8422248085885**

- ❑ Stainless Steel Collection 5 piece set.
- ❑ Stainless Steel Handles welded to the pan, that provides a long life and better resistance.
- ❑ High Resistant glass lids.
- ❑ Straight lines, elegant and practical design for easy cleaning.
- ❑ Suitable for all types on hobs, gas, electric, vitroceramic and induction.
- ❑ Suitable for cleaning in the dishwasher machine.

- ❑ Stainless Steel Collection 4 piece set.
- ❑ Stainless Steel Handles welded to the pan, that provides a long life and better resistance.
- ❑ High Resistant glass lids.
- ❑ Straight lines, elegant and practical design for easy cleaning.
- ❑ Suitable for all types on hobs, gas, electric, vitroceramic and induction.
- ❑ Suitable for cleaning in the dishwasher machine.



SAUCE PAN - ø 14cm  
Stainless Steel Sauce Pan with compact base diffuser of high efficiency.



SHORT POT - ø 20cm  
Stainless Steel Short Pot with compact base diffuser of high efficiency



TALL POT - ø 20cm  
Stainless Steel Tall Pot with compact base diffuser of high efficiency



ROASTER - ø 24cm  
Stainless Steel Roaster with compact base diffuser of high efficiency.



PAN ø 24cm  
Stainless Steel Pan with nonstick multilayer coating.



SAUCE PAN - ø 16cm  
Stainless Steel Sauce Pan with compact base diffuser of high efficiency.



TALL POT - ø 20cm  
Stainless Steel Tall Pot with compact base diffuser of high efficiency



SHORT POT - ø 24cm  
Stainless Steel Short Pot with compact base diffuser of high efficiency



ROASTER - ø 24cm  
Stainless Steel Roaster with compact base diffuser of high efficiency.





## CAST IRON GRILL



CAST IRON GRILL

Cod. **03017400** EAN **8422248082563**

- ☐ Suitable for induction.
- ☐ Enamelled Cast Iron. Grill.
- ☐ Nonstick surface
- ☐ Ideal for: searing meat and fish with minimum of fat. Grilling vegetables and fruit.
- ☐ Good heat retention and temperature stability.
- ☐ Robust and durable.
- ☐ Easy to clean

